

【参考資料】JGBとTIBOR1年の比較データ

※1 財務省「国債金利情報」のHPを利用

(http://www.mof.go.jp/jgbs/reference/interest_rate/の5月30日現在のデータ加工)

※2 TIBOR

平成26年3月31日以前に、(一社)全銀協において公表していた全銀協TIBORレートを加工(http://www.jbatibor.or.jp/rate/past_record.html)

平成26年4月1日以降は、(一社)全銀協TIBOR運営機関で発表した全銀協TIBORレートを加工(<http://www.jbatibor.or.jp/rate/log.html>)

基準日	JGB	tibor	差異	寄与度
H20.1.4	0.601	0.98083	0.37983	61.27
H20.1.7	0.599	0.97917	0.38017	61.17
H20.1.8	0.589	0.97500	0.386	60.41
H20.1.9	0.588	0.97500	0.387	60.31
H20.1.10	0.569	0.97417	0.40517	58.41
H20.1.11	0.549	0.97167	0.42267	56.5
H20.1.15	0.559	0.97083	0.41183	57.58
H20.1.16	0.547	0.97000	0.423	56.39
H20.1.17	0.546	0.96833	0.42233	56.39
H20.1.18	0.545	0.96583	0.42083	56.43
H20.1.21	0.542	0.96583	0.42383	56.12
H20.1.22	0.513	0.96417	0.45117	53.21
H20.1.23	0.482	0.95583	0.47383	50.43
H20.1.24	0.481	0.95250	0.4715	50.5
H20.1.25	0.51	0.94833	0.43833	53.78
H20.1.28	0.485	0.94583	0.46083	51.28
H20.1.29	0.484	0.94583	0.46183	51.17
H20.1.30	0.487	0.94417	0.45717	51.58
H20.1.31	0.486	0.94250	0.4565	51.56
H20.2.1	0.491	0.94250	0.4515	52.1
H20.2.4	0.514	0.94250	0.4285	54.54
H20.2.5	0.537	0.94250	0.4055	56.98
H20.2.6	0.512	0.94250	0.4305	54.32
H20.2.7	0.511	0.94250	0.4315	54.22
H20.2.8	0.503	0.94250	0.4395	53.37
H20.2.12	0.499	0.94250	0.4435	52.94
H20.2.13	0.507	0.94250	0.4355	53.79
H20.2.14	0.527	0.94250	0.4155	55.92
H20.2.15	0.529	0.94250	0.4135	56.13
H20.2.18	0.527	0.94250	0.4155	55.92
H20.2.19	0.528	0.94250	0.4145	56.02
H20.2.20	0.527	0.94250	0.4155	55.92
H20.2.21	0.547	0.94250	0.3955	58.04
H20.2.22	0.547	0.94250	0.3955	58.04
H20.2.25	0.56	0.94250	0.3825	59.42
H20.2.26	0.57	0.94250	0.3725	60.48
H20.2.27	0.571	0.94250	0.3715	60.58
H20.2.28	0.561	0.94167	0.38067	59.58
H20.2.29	0.546	0.94167	0.39567	57.98
H20.3.3	0.535	0.94167	0.40667	56.81
H20.3.4	0.539	0.94167	0.40267	57.24
H20.3.5	0.534	0.94167	0.40767	56.71
H20.3.6	0.527	0.94167	0.41467	55.96
H20.3.7	0.516	0.94167	0.42567	54.8
H20.3.10	0.514	0.94167	0.42767	54.58
H20.3.11	0.532	0.94167	0.40967	56.5
H20.3.12	0.541	0.94167	0.40067	57.45

基準日	JGB	tibor	差異	寄与度
H20.3.13	0.532	0.94167	0.40967	56.5
H20.3.14	0.541	0.94167	0.40067	57.45
H20.3.17	0.537	0.94167	0.40467	57.03
H20.3.18	0.536	0.94167	0.40567	56.92
H20.3.19	0.535	0.94167	0.40667	56.81
H20.3.21	0.543	0.94167	0.39867	57.66
H20.3.24	0.541	0.94167	0.40067	57.45
H20.3.25	0.54	0.94167	0.40167	57.34
H20.3.26	0.549	0.94167	0.39267	58.3
H20.3.27	0.548	0.94083	0.39283	58.25
H20.3.28	0.547	0.94250	0.3955	58.04
H20.3.31	0.545	0.94333	0.39833	57.77
H20.4.1	0.555	0.94250	0.3875	58.89
H20.4.2	0.555	0.94250	0.3875	58.89
H20.4.3	0.554	0.94083	0.38683	58.88
H20.4.4	0.543	0.94083	0.39783	57.71
H20.4.7	0.541	0.94083	0.39983	57.5
H20.4.8	0.541	0.94083	0.39983	57.5
H20.4.9	0.55	0.94000	0.39	58.51
H20.4.10	0.55	0.94000	0.39	58.51
H20.4.11	0.56	0.94000	0.38	59.57
H20.4.14	0.549	0.94000	0.391	58.4
H20.4.15	0.549	0.93917	0.39017	58.46
H20.4.16	0.559	0.93917	0.38017	59.52
H20.4.17	0.559	0.93917	0.38017	59.52
H20.4.18	0.558	0.93917	0.38117	59.41
H20.4.21	0.568	0.93917	0.37117	60.48
H20.4.22	0.578	0.93917	0.36117	61.54
H20.4.23	0.588	0.93917	0.35117	62.61
H20.4.24	0.6	0.94000	0.34	63.83
H20.4.25	0.661	0.94333	0.28233	70.07
H20.4.28	0.667	0.94417	0.27717	70.64
H20.4.30	0.671	0.94417	0.27317	71.07
H20.5.1	0.646	0.94500	0.299	68.36
H20.5.2	0.651	0.94583	0.29483	68.83
H20.5.7	0.651	0.94583	0.29483	68.83
H20.5.8	0.641	0.94583	0.30483	67.77
H20.5.9	0.633	0.94583	0.31283	66.93
H20.5.12	0.641	0.94583	0.30483	67.77
H20.5.13	0.64	0.94583	0.30583	67.67
H20.5.14	0.68	0.94583	0.26583	71.89
H20.5.15	0.709	0.94583	0.23683	74.96
H20.5.16	0.709	0.94583	0.23683	74.96
H20.5.19	0.709	0.94583	0.23683	74.96
H20.5.20	0.707	0.94583	0.23883	74.75
H20.5.21	0.697	0.94667	0.24967	73.63
H20.5.22	0.696	0.94667	0.25067	73.52
H20.5.23	0.705	0.94833	0.24333	74.34
H20.5.26	0.703	0.94833	0.24533	74.13
H20.5.27	0.713	0.94833	0.23533	75.18
H20.5.28	0.712	0.94833	0.23633	75.08
H20.5.29	0.726	0.94917	0.22317	76.49
H20.5.30	0.74	0.95083	0.21083	77.83
H20.6.2	0.745	0.95083	0.20583	78.35
H20.6.3	0.718	0.95083	0.23283	75.51

基準日	JGB	tibor	差異	寄与度
H20.6.4	0.717	0.95083	0.23383	75.41
H20.6.5	0.703	0.95083	0.24783	73.94
H20.6.6	0.713	0.95083	0.23783	74.99
H20.6.9	0.701	0.95083	0.24983	73.73
H20.6.10	0.74	0.95333	0.21333	77.62
H20.6.11	0.777	0.95583	0.17883	81.29
H20.6.12	0.778	0.95667	0.17867	81.32
H20.6.13	0.797	0.95917	0.16217	83.09
H20.6.16	0.769	0.96167	0.19267	79.97
H20.6.17	0.75	0.96167	0.21167	77.99
H20.6.18	0.739	0.96167	0.22267	76.85
H20.6.19	0.74	0.96167	0.22167	76.95
H20.6.20	0.73	0.96167	0.23167	75.91
H20.6.23	0.726	0.96167	0.23567	75.49
H20.6.24	0.729	0.96167	0.23267	75.81
H20.6.25	0.719	0.96167	0.24267	74.77
H20.6.26	0.705	0.96167	0.25667	73.31
H20.6.27	0.695	0.96167	0.26667	72.27
H20.6.30	0.694	0.96167	0.26767	72.17
H20.7.1	0.704	0.96250	0.2585	73.14
H20.7.2	0.704	0.96250	0.2585	73.14
H20.7.3	0.713	0.96250	0.2495	74.08
H20.7.4	0.713	0.96333	0.25033	74.01
H20.7.7	0.722	0.96333	0.24133	74.95
H20.7.8	0.712	0.96333	0.25133	73.91
H20.7.9	0.692	0.96333	0.27133	71.83
H20.7.10	0.681	0.96333	0.28233	70.69
H20.7.11	0.681	0.96333	0.28233	70.69
H20.7.14	0.68	0.96333	0.28333	70.59
H20.7.15	0.668	0.96250	0.2945	69.4
H20.7.16	0.658	0.96167	0.30367	68.42
H20.7.17	0.658	0.96167	0.30367	68.42
H20.7.18	0.657	0.96167	0.30467	68.32
H20.7.22	0.658	0.96167	0.30367	68.42
H20.7.23	0.666	0.96167	0.29567	69.25
H20.7.24	0.665	0.96167	0.29667	69.15
H20.7.25	0.655	0.96083	0.30583	68.17
H20.7.28	0.664	0.96083	0.29683	69.11
H20.7.29	0.664	0.96083	0.29683	69.11
H20.7.30	0.664	0.96167	0.29767	69.05
H20.7.31	0.663	0.96167	0.29867	68.94
H20.8.1	0.658	0.96167	0.30367	68.42
H20.8.4	0.656	0.96167	0.30567	68.21
H20.8.5	0.656	0.96167	0.30567	68.21
H20.8.6	0.645	0.96167	0.31667	67.07
H20.8.7	0.634	0.96167	0.32767	65.93
H20.8.8	0.624	0.96000	0.336	65
H20.8.11	0.623	0.95833	0.33533	65.01
H20.8.12	0.622	0.95833	0.33633	64.9
H20.8.13	0.621	0.95833	0.33733	64.8
H20.8.14	0.62	0.95833	0.33833	64.7
H20.8.15	0.608	0.95833	0.35033	63.44
H20.8.18	0.595	0.95833	0.36333	62.09
H20.8.19	0.594	0.95667	0.36267	62.09
H20.8.20	0.593	0.95667	0.36367	61.99

基準日	JGB	tibor	差異	寄与度
H20.8.21	0.584	0.95667	0.37267	61.05
H20.8.22	0.591	0.95667	0.36567	61.78
H20.8.25	0.589	0.95667	0.36767	61.57
H20.8.26	0.591	0.95667	0.36567	61.78
H20.8.27	0.6	0.95667	0.35667	62.72
H20.8.28	0.6	0.95667	0.35667	62.72
H20.8.29	0.599	0.95667	0.35767	62.61
H20.9.1	0.608	0.95667	0.34867	63.55
H20.9.2	0.608	0.95667	0.34867	63.55
H20.9.3	0.607	0.95667	0.34967	63.45
H20.9.4	0.613	0.95667	0.34367	64.08
H20.9.5	0.607	0.95667	0.34967	63.45
H20.9.8	0.624	0.95667	0.33267	65.23
H20.9.9	0.616	0.95667	0.34067	64.39
H20.9.10	0.607	0.95667	0.34967	63.45
H20.9.11	0.607	0.95667	0.34967	63.45
H20.9.12	0.606	0.95667	0.35067	63.34
H20.9.16	0.588	0.95833	0.37033	61.36
H20.9.17	0.607	0.95917	0.35217	63.28
H20.9.18	0.637	0.96167	0.32467	66.24
H20.9.19	0.636	0.96333	0.32733	66.02
H20.9.22	0.634	0.96333	0.32933	65.81
H20.9.24	0.645	0.96333	0.31833	66.96
H20.9.25	0.645	0.96333	0.31833	66.96
H20.9.26	0.654	0.96417	0.31017	67.83
H20.9.29	0.664	0.96583	0.30183	68.75
H20.9.30	0.669	0.96583	0.29683	69.27
H20.10.1	0.683	0.96583	0.28283	70.72
H20.10.2	0.683	0.96667	0.28367	70.65
H20.10.3	0.667	0.96583	0.29883	69.06
H20.10.6	0.634	0.96583	0.33183	65.64
H20.10.7	0.654	0.96500	0.311	67.77
H20.10.8	0.68	0.96583	0.28583	70.41
H20.10.9	0.72	0.96667	0.24667	74.48
H20.10.10	0.768	0.96750	0.1995	79.38
H20.10.14	0.768	0.96750	0.1995	79.38
H20.10.15	0.729	0.96750	0.2385	75.35
H20.10.16	0.718	0.96750	0.2495	74.21
H20.10.17	0.698	0.96750	0.2695	72.14
H20.10.20	0.686	0.96917	0.28317	70.78
H20.10.21	0.675	0.96917	0.29417	69.65
H20.10.22	0.663	0.96917	0.30617	68.41
H20.10.23	0.66	0.96917	0.30917	68.1
H20.10.24	0.658	0.96917	0.31117	67.89
H20.10.27	0.655	0.96917	0.31417	67.58
H20.10.28	0.657	0.97000	0.313	67.73
H20.10.29	0.552	0.96917	0.41717	56.96
H20.10.30	0.557	0.96750	0.4105	57.57
H20.10.31	0.5	0.96750	0.4675	51.68
H20.11.4	0.496	0.89167	0.39567	55.63
H20.11.5	0.498	0.89667	0.39867	55.54
H20.11.6	0.497	0.89583	0.39883	55.48
H20.11.7	0.503	0.89417	0.39117	56.25
H20.11.10	0.51	0.89333	0.38333	57.09
H20.11.11	0.509	0.89333	0.38433	56.98

基準日	JGB	tibor	差異	寄与度
H20.11.12	0.509	0.89333	0.38433	56.98
H20.11.13	0.498	0.89417	0.39617	55.69
H20.11.14	0.487	0.89667	0.40967	54.31
H20.11.17	0.477	0.89750	0.4205	53.15
H20.11.18	0.477	0.90083	0.42383	52.95
H20.11.19	0.486	0.90250	0.4165	53.85
H20.11.20	0.475	0.90500	0.43	52.49
H20.11.21	0.486	0.90750	0.4215	53.55
H20.11.25	0.505	0.91000	0.405	55.49
H20.11.26	0.524	0.91417	0.39017	57.32
H20.11.27	0.548	0.92083	0.37283	59.51
H20.11.28	0.554	0.92667	0.37267	59.78
H20.12.1	0.553	0.93167	0.37867	59.36
H20.12.2	0.527	0.93500	0.408	56.36
H20.12.3	0.526	0.93583	0.40983	56.21
H20.12.4	0.529	0.93750	0.4085	56.43
H20.12.5	0.528	0.93833	0.41033	56.27
H20.12.8	0.533	0.93833	0.40533	56.8
H20.12.9	0.532	0.93917	0.40717	56.65
H20.12.10	0.531	0.94000	0.409	56.49
H20.12.11	0.522	0.94333	0.42133	55.34
H20.12.12	0.501	0.94667	0.44567	52.92
H20.12.15	0.509	0.95000	0.441	53.58
H20.12.16	0.478	0.95250	0.4745	50.18
H20.12.17	0.426	0.95250	0.5265	44.72
H20.12.18	0.425	0.95000	0.525	44.74
H20.12.19	0.375	0.94333	0.56833	39.75
H20.12.22	0.352	0.85917	0.50717	40.97
H20.12.24	0.35	0.83667	0.48667	41.83
H20.12.25	0.349	0.83083	0.48183	42.01
H20.12.26	0.355	0.82667	0.47167	42.94
H20.12.29	0.342	0.82167	0.47967	41.62
H20.12.30	0.331	0.81917	0.48817	40.41
H21.1.5	0.308	0.81750	0.5095	37.68
H21.1.6	0.314	0.81583	0.50183	38.49
H21.1.7	0.293	0.81500	0.522	35.95
H21.1.8	0.282	0.81500	0.533	34.6
H21.1.9	0.271	0.81500	0.544	33.25
H21.1.13	0.268	0.81500	0.547	32.88
H21.1.14	0.268	0.81500	0.547	32.88
H21.1.15	0.279	0.81500	0.536	34.23
H21.1.16	0.268	0.81500	0.547	32.88
H21.1.19	0.265	0.81500	0.55	32.52
H21.1.20	0.264	0.81500	0.551	32.39
H21.1.21	0.264	0.81500	0.551	32.39
H21.1.22	0.261	0.81500	0.554	32.02
H21.1.23	0.262	0.81417	0.55217	32.18
H21.1.26	0.271	0.81417	0.54317	33.29
H21.1.27	0.287	0.81417	0.52717	35.25
H21.1.28	0.3	0.81417	0.51417	36.85
H21.1.29	0.3	0.81417	0.51417	36.85
H21.1.30	0.319	0.81417	0.49517	39.18
H21.2.2	0.318	0.81417	0.49617	39.06
H21.2.3	0.324	0.81417	0.49017	39.8
H21.2.4	0.328	0.81417	0.48617	40.29

基準日	JGB	tibor	差異	寄与度
H21.2.5	0.334	0.81417	0.48017	41.02
H21.2.6	0.334	0.81417	0.48017	41.02
H21.2.9	0.335	0.81333	0.47833	41.19
H21.2.10	0.337	0.81333	0.47633	41.43
H21.2.12	0.337	0.81333	0.47633	41.43
H21.2.13	0.337	0.81333	0.47633	41.43
H21.2.16	0.34	0.81333	0.47333	41.8
H21.2.17	0.339	0.81333	0.47433	41.68
H21.2.18	0.339	0.81333	0.47433	41.68
H21.2.19	0.338	0.81333	0.47533	41.56
H21.2.20	0.337	0.81167	0.47467	41.52
H21.2.23	0.339	0.81083	0.47183	41.81
H21.2.24	0.341	0.81000	0.469	42.1
H21.2.25	0.352	0.81000	0.458	43.46
H21.2.26	0.352	0.80833	0.45633	43.55
H21.2.27	0.352	0.80833	0.45633	43.55
H21.3.2	0.347	0.80833	0.46133	42.93
H21.3.3	0.337	0.80750	0.4705	41.73
H21.3.4	0.326	0.80583	0.47983	40.46
H21.3.5	0.326	0.80500	0.479	40.5
H21.3.6	0.326	0.80500	0.479	40.5
H21.3.9	0.325	0.80500	0.48	40.37
H21.3.10	0.332	0.80417	0.47217	41.28
H21.3.11	0.324	0.80250	0.4785	40.37
H21.3.12	0.323	0.80083	0.47783	40.33
H21.3.13	0.323	0.79917	0.47617	40.42
H21.3.16	0.329	0.79750	0.4685	41.25
H21.3.17	0.327	0.79667	0.46967	41.05
H21.3.18	0.327	0.79500	0.468	41.13
H21.3.19	0.316	0.79167	0.47567	39.92
H21.3.23	0.312	0.78750	0.4755	39.62
H21.3.24	0.311	0.78417	0.47317	39.66
H21.3.25	0.31	0.78333	0.47333	39.57
H21.3.26	0.309	0.78167	0.47267	39.53
H21.3.27	0.308	0.77917	0.47117	39.53
H21.3.30	0.305	0.77583	0.47083	39.31
H21.3.31	0.304	0.77417	0.47017	39.27
H21.4.1	0.303	0.77000	0.467	39.35
H21.4.2	0.308	0.76909	0.46109	40.05
H21.4.3	0.301	0.76909	0.46809	39.14
H21.4.6	0.299	0.76818	0.46918	38.92
H21.4.7	0.298	0.76727	0.46927	38.84
H21.4.8	0.304	0.76545	0.46145	39.72
H21.4.9	0.304	0.76364	0.45964	39.81
H21.4.10	0.303	0.76273	0.45973	39.73
H21.4.13	0.301	0.76273	0.46173	39.46
H21.4.14	0.311	0.76273	0.45173	40.77
H21.4.15	0.289	0.76182	0.47282	37.94
H21.4.16	0.288	0.76182	0.47382	37.8
H21.4.17	0.267	0.76091	0.49391	35.09
H21.4.20	0.264	0.76000	0.496	34.74
H21.4.21	0.263	0.76000	0.497	34.61
H21.4.22	0.262	0.75818	0.49618	34.56
H21.4.23	0.261	0.75727	0.49627	34.47
H21.4.24	0.263	0.75727	0.49427	34.73

基準日	JGB	tibor	差異	寄与度
H21.4.27	0.26	0.75727	0.49727	34.33
H21.4.28	0.259	0.75455	0.49555	34.33
H21.4.30	0.268	0.75273	0.48473	35.6
H21.5.1	0.267	0.75273	0.48573	35.47
H21.5.7	0.271	0.75091	0.47991	36.09
H21.5.8	0.27	0.75000	0.48	36
H21.5.11	0.266	0.74909	0.48309	35.51
H21.5.12	0.255	0.74909	0.49409	34.04
H21.5.13	0.254	0.74818	0.49418	33.95
H21.5.14	0.244	0.74818	0.50418	32.61
H21.5.15	0.239	0.74818	0.50918	31.94
H21.5.18	0.237	0.74727	0.51027	31.72
H21.5.19	0.235	0.74636	0.51136	31.49
H21.5.20	0.225	0.74636	0.52136	30.15
H21.5.21	0.214	0.74636	0.53236	28.67
H21.5.22	0.201	0.74636	0.54536	26.93
H21.5.25	0.199	0.74545	0.54645	26.7
H21.5.26	0.198	0.74545	0.54745	26.56
H21.5.27	0.197	0.74545	0.54845	26.43
H21.5.28	0.186	0.74545	0.55945	24.95
H21.5.29	0.181	0.74545	0.56445	24.28
H21.6.1	0.186	0.74545	0.55945	24.95
H21.6.2	0.184	0.74273	0.55873	24.77
H21.6.3	0.183	0.74273	0.55973	24.64
H21.6.4	0.181	0.74091	0.55991	24.43
H21.6.5	0.186	0.74000	0.554	25.14
H21.6.8	0.199	0.73818	0.53918	26.96
H21.6.9	0.2	0.73727	0.53727	27.13
H21.6.10	0.207	0.73455	0.52755	28.18
H21.6.11	0.205	0.73455	0.52955	27.91
H21.6.12	0.204	0.73455	0.53055	27.77
H21.6.15	0.209	0.73455	0.52555	28.45
H21.6.16	0.207	0.73455	0.52755	28.18
H21.6.17	0.206	0.73455	0.52855	28.04
H21.6.18	0.204	0.73455	0.53055	27.77
H21.6.19	0.202	0.73455	0.53255	27.5
H21.6.22	0.208	0.73455	0.52655	28.32
H21.6.23	0.206	0.73364	0.52764	28.08
H21.6.24	0.202	0.73273	0.53073	27.57
H21.6.25	0.19	0.73091	0.54091	25.99
H21.6.26	0.188	0.73000	0.542	25.75
H21.6.29	0.183	0.72818	0.54518	25.13
H21.6.30	0.191	0.72818	0.53718	26.23
H21.7.1	0.178	0.72636	0.54836	24.51
H21.7.2	0.172	0.72545	0.55345	23.71
H21.7.3	0.165	0.72455	0.55955	22.77
H21.7.6	0.169	0.72273	0.55373	23.38
H21.7.7	0.167	0.72182	0.55482	23.14
H21.7.8	0.166	0.72182	0.55582	23
H21.7.9	0.164	0.72000	0.556	22.78
H21.7.10	0.164	0.72000	0.556	22.78
H21.7.13	0.166	0.71909	0.55309	23.08
H21.7.14	0.175	0.71909	0.54409	24.34
H21.7.15	0.179	0.71818	0.53918	24.92
H21.7.16	0.177	0.71818	0.54118	24.65

基準日	JGB	tibor	差異	寄与度
H21.7.17	0.176	0.71818	0.54218	24.51
H21.7.21	0.18	0.71818	0.53818	25.06
H21.7.22	0.189	0.71727	0.52827	26.35
H21.7.23	0.187	0.71727	0.53027	26.07
H21.7.24	0.186	0.71727	0.53127	25.93
H21.7.27	0.188	0.71636	0.52836	26.24
H21.7.28	0.191	0.71636	0.52536	26.66
H21.7.29	0.189	0.71545	0.52645	26.42
H21.7.30	0.194	0.71455	0.52055	27.15
H21.7.31	0.197	0.71455	0.51755	27.57
H21.8.3	0.198	0.71364	0.51564	27.75
H21.8.4	0.197	0.71364	0.51664	27.6
H21.8.5	0.195	0.71364	0.51864	27.32
H21.8.6	0.187	0.71364	0.52664	26.2
H21.8.7	0.182	0.71364	0.53164	25.5
H21.8.10	0.18	0.71364	0.53364	25.22
H21.8.11	0.179	0.71364	0.53464	25.08
H21.8.12	0.177	0.71364	0.53664	24.8
H21.8.13	0.175	0.71364	0.53864	24.52
H21.8.14	0.174	0.71364	0.53964	24.38
H21.8.17	0.176	0.71364	0.53764	24.66
H21.8.18	0.175	0.71273	0.53773	24.55
H21.8.19	0.174	0.71091	0.53691	24.48
H21.8.20	0.171	0.70909	0.53809	24.12
H21.8.21	0.171	0.70727	0.53627	24.18
H21.8.24	0.175	0.70727	0.53227	24.74
H21.8.25	0.173	0.70727	0.53427	24.46
H21.8.26	0.172	0.70727	0.53527	24.32
H21.8.27	0.17	0.70727	0.53727	24.04
H21.8.28	0.169	0.70455	0.53555	23.99
H21.8.31	0.17	0.70273	0.53273	24.19
H21.9.1	0.173	0.70182	0.52882	24.65
H21.9.2	0.172	0.70000	0.528	24.57
H21.9.3	0.171	0.70000	0.529	24.43
H21.9.4	0.173	0.69909	0.52609	24.75
H21.9.7	0.168	0.69727	0.52927	24.09
H21.9.8	0.174	0.69455	0.52055	25.05
H21.9.9	0.173	0.69364	0.52064	24.94
H21.9.10	0.164	0.69182	0.52782	23.71
H21.9.11	0.162	0.69000	0.528	23.48
H21.9.14	0.159	0.69000	0.531	23.04
H21.9.15	0.169	0.68909	0.52009	24.53
H21.9.16	0.168	0.68818	0.52018	24.41
H21.9.17	0.166	0.68818	0.52218	24.12
H21.9.18	0.165	0.68818	0.52318	23.98
H21.9.24	0.166	0.68818	0.52218	24.12
H21.9.25	0.164	0.68818	0.52418	23.83
H21.9.28	0.169	0.68818	0.51918	24.56
H21.9.29	0.167	0.68818	0.52118	24.27
H21.9.30	0.171	0.68727	0.51627	24.88
H21.10.1	0.169	0.68727	0.51827	24.59
H21.10.2	0.173	0.68727	0.51427	25.17
H21.10.5	0.167	0.68727	0.52027	24.3
H21.10.6	0.172	0.68545	0.51345	25.09
H21.10.7	0.17	0.68455	0.51455	24.83

基準日	JGB	tibor	差異	寄与度
H21.10.8	0.169	0.68273	0.51373	24.75
H21.10.9	0.178	0.68182	0.50382	26.11
H21.10.13	0.171	0.68000	0.509	25.15
H21.10.14	0.17	0.67909	0.50909	25.03
H21.10.15	0.179	0.67727	0.49827	26.43
H21.10.16	0.178	0.67636	0.49836	26.32
H21.10.19	0.173	0.67636	0.50336	25.58
H21.10.20	0.171	0.67545	0.50445	25.32
H21.10.21	0.18	0.67364	0.49364	26.72
H21.10.22	0.179	0.67364	0.49464	26.57
H21.10.23	0.178	0.67364	0.49564	26.42
H21.10.26	0.183	0.67273	0.48973	27.2
H21.10.27	0.182	0.67091	0.48891	27.13
H21.10.28	0.181	0.67091	0.48991	26.98
H21.10.29	0.18	0.67000	0.49	26.87
H21.10.30	0.185	0.66727	0.48227	27.72
H21.11.2	0.18	0.66636	0.48636	27.01
H21.11.4	0.188	0.66545	0.47745	28.25
H21.11.5	0.187	0.66455	0.47755	28.14
H21.11.6	0.193	0.66364	0.47064	29.08
H21.11.9	0.192	0.66273	0.47073	28.97
H21.11.10	0.191	0.66273	0.47173	28.82
H21.11.11	0.19	0.66182	0.47182	28.71
H21.11.12	0.19	0.66091	0.47091	28.75
H21.11.13	0.189	0.66000	0.471	28.64
H21.11.16	0.188	0.66000	0.472	28.48
H21.11.17	0.187	0.65818	0.47118	28.41
H21.11.18	0.186	0.65818	0.47218	28.26
H21.11.19	0.194	0.65818	0.46418	29.48
H21.11.20	0.193	0.65818	0.46518	29.32
H21.11.24	0.19	0.65818	0.46818	28.87
H21.11.25	0.186	0.65818	0.47218	28.26
H21.11.26	0.185	0.65818	0.47318	28.11
H21.11.27	0.184	0.65545	0.47145	28.07
H21.11.30	0.18	0.65273	0.47273	27.58
H21.12.1	0.138	0.65091	0.51291	21.2
H21.12.2	0.137	0.63727	0.50027	21.5
H21.12.3	0.141	0.63273	0.49173	22.28
H21.12.4	0.14	0.62818	0.48818	22.29
H21.12.7	0.137	0.62273	0.48573	22
H21.12.8	0.139	0.62000	0.481	22.42
H21.12.9	0.145	0.61818	0.47318	23.46
H21.12.10	0.144	0.61636	0.47236	23.36
H21.12.11	0.143	0.61455	0.47155	23.27
H21.12.14	0.14	0.61273	0.47273	22.85
H21.12.15	0.149	0.61000	0.461	24.43
H21.12.16	0.148	0.60727	0.45927	24.37
H21.12.17	0.147	0.60727	0.46027	24.21
H21.12.18	0.136	0.60727	0.47127	22.4
H21.12.21	0.142	0.60545	0.46345	23.45
H21.12.22	0.141	0.60364	0.46264	23.36
H21.12.24	0.139	0.60091	0.46191	23.13
H21.12.25	0.137	0.60000	0.463	22.83
H21.12.28	0.144	0.60000	0.456	24
H21.12.29	0.139	0.60000	0.461	23.17

基準日	JGB	tibor	差異	寄与度
H21.12.30	0.132	0.60000	0.468	22
H22.1.4	0.131	0.60000	0.469	21.83
H22.1.5	0.136	0.60000	0.464	22.67
H22.1.6	0.135	0.60000	0.465	22.5
H22.1.7	0.137	0.60000	0.463	22.83
H22.1.8	0.136	0.60000	0.464	22.67
H22.1.12	0.131	0.60000	0.469	21.83
H22.1.13	0.13	0.60000	0.47	21.67
H22.1.14	0.129	0.60000	0.471	21.5
H22.1.15	0.14	0.60000	0.46	23.33
H22.1.18	0.136	0.60000	0.464	22.67
H22.1.19	0.136	0.60000	0.464	22.67
H22.1.20	0.134	0.60000	0.466	22.33
H22.1.21	0.133	0.59909	0.46609	22.2
H22.1.22	0.123	0.59818	0.47518	20.56
H22.1.25	0.128	0.59818	0.47018	21.4
H22.1.26	0.127	0.59818	0.47118	21.23
H22.1.27	0.119	0.59818	0.47918	19.89
H22.1.28	0.118	0.59636	0.47836	19.79
H22.1.29	0.124	0.59455	0.47055	20.86
H22.2.1	0.12	0.59182	0.47182	20.28
H22.2.2	0.119	0.58909	0.47009	20.2
H22.2.3	0.118	0.58909	0.47109	20.03
H22.2.4	0.118	0.58909	0.47109	20.03
H22.2.5	0.116	0.58909	0.47309	19.69
H22.2.8	0.116	0.58909	0.47309	19.69
H22.2.9	0.123	0.58909	0.46609	20.88
H22.2.10	0.122	0.58909	0.46709	20.71
H22.2.12	0.12	0.58909	0.46909	20.37
H22.2.15	0.12	0.58909	0.46909	20.37
H22.2.16	0.119	0.58909	0.47009	20.2
H22.2.17	0.118	0.58909	0.47109	20.03
H22.2.18	0.118	0.58909	0.47109	20.03
H22.2.19	0.117	0.58909	0.47209	19.86
H22.2.22	0.123	0.58909	0.46609	20.88
H22.2.23	0.122	0.58909	0.46709	20.71
H22.2.24	0.124	0.58909	0.46509	21.05
H22.2.25	0.123	0.58818	0.46518	20.91
H22.2.26	0.123	0.58818	0.46518	20.91
H22.3.1	0.12	0.58818	0.46818	20.4
H22.3.2	0.125	0.58818	0.46318	21.25
H22.3.3	0.125	0.58818	0.46318	21.25
H22.3.4	0.119	0.58818	0.46918	20.23
H22.3.5	0.118	0.58818	0.47018	20.06
H22.3.8	0.119	0.58818	0.46918	20.23
H22.3.9	0.125	0.58818	0.46318	21.25
H22.3.10	0.125	0.58818	0.46318	21.25
H22.3.11	0.124	0.58818	0.46418	21.08
H22.3.12	0.123	0.58818	0.46518	20.91
H22.3.15	0.12	0.58818	0.46818	20.4
H22.3.16	0.119	0.58818	0.46918	20.23
H22.3.17	0.118	0.58818	0.47018	20.06
H22.3.18	0.118	0.58727	0.46927	20.09
H22.3.19	0.117	0.58727	0.47027	19.92
H22.3.23	0.122	0.58727	0.46527	20.77

基準日	JGB	tibor	差異	寄与度
H22.3.24	0.121	0.58727	0.46627	20.6
H22.3.25	0.121	0.58727	0.46627	20.6
H22.3.26	0.123	0.58727	0.46427	20.94
H22.3.29	0.121	0.58636	0.46536	20.64
H22.3.30	0.126	0.58455	0.45855	21.56
H22.3.31	0.13	0.58364	0.45364	22.27
H22.4.1	0.129	0.58231	0.45331	22.15
H22.4.2	0.128	0.58000	0.452	22.07
H22.4.5	0.13	0.57769	0.44769	22.5
H22.4.6	0.129	0.57692	0.44792	22.36
H22.4.7	0.128	0.57692	0.44892	22.19
H22.4.8	0.135	0.57692	0.44192	23.4
H22.4.9	0.134	0.57615	0.44215	23.26
H22.4.12	0.132	0.57538	0.44338	22.94
H22.4.13	0.132	0.57385	0.44185	23
H22.4.14	0.131	0.57231	0.44131	22.89
H22.4.15	0.13	0.57154	0.44154	22.75
H22.4.16	0.129	0.57000	0.441	22.63
H22.4.19	0.128	0.56846	0.44046	22.52
H22.4.20	0.128	0.56769	0.43969	22.55
H22.4.21	0.128	0.56769	0.43969	22.55
H22.4.22	0.135	0.56769	0.43269	23.78
H22.4.23	0.135	0.56769	0.43269	23.78
H22.4.26	0.133	0.56769	0.43469	23.43
H22.4.27	0.132	0.56769	0.43569	23.25
H22.4.28	0.132	0.56615	0.43415	23.32
H22.4.30	0.13	0.56462	0.43462	23.02
H22.5.6	0.137	0.56154	0.42454	24.4
H22.5.7	0.136	0.55923	0.42323	24.32
H22.5.10	0.134	0.55769	0.42369	24.03
H22.5.11	0.134	0.55769	0.42369	24.03
H22.5.12	0.133	0.55769	0.42469	23.85
H22.5.13	0.133	0.55769	0.42469	23.85
H22.5.14	0.132	0.55692	0.42492	23.7
H22.5.17	0.138	0.55692	0.41892	24.78
H22.5.18	0.137	0.55692	0.41992	24.6
H22.5.19	0.137	0.55692	0.41992	24.6
H22.5.20	0.137	0.55692	0.41992	24.6
H22.5.21	0.136	0.55692	0.42092	24.42
H22.5.24	0.134	0.55692	0.42292	24.06
H22.5.25	0.133	0.55692	0.42392	23.88
H22.5.26	0.133	0.55692	0.42392	23.88
H22.5.27	0.132	0.55692	0.42492	23.7
H22.5.28	0.131	0.55692	0.42592	23.52
H22.5.31	0.14	0.55692	0.41692	25.14
H22.6.1	0.139	0.55615	0.41715	24.99
H22.6.2	0.138	0.55462	0.41662	24.88
H22.6.3	0.138	0.55154	0.41354	25.02
H22.6.4	0.137	0.55154	0.41454	24.84
H22.6.7	0.135	0.55000	0.415	24.55
H22.6.8	0.142	0.55000	0.408	25.82
H22.6.9	0.142	0.55000	0.408	25.82
H22.6.10	0.142	0.55000	0.408	25.82
H22.6.11	0.143	0.55000	0.407	26
H22.6.14	0.141	0.55000	0.409	25.64

基準日	JGB	tibor	差異	寄与度
H22.6.15	0.14	0.55000	0.41	25.45
H22.6.16	0.139	0.55000	0.411	25.27
H22.6.17	0.138	0.55000	0.412	25.09
H22.6.18	0.137	0.55000	0.413	24.91
H22.6.21	0.135	0.55000	0.415	24.55
H22.6.22	0.142	0.55000	0.408	25.82
H22.6.23	0.143	0.55000	0.407	26
H22.6.24	0.143	0.55000	0.407	26
H22.6.25	0.142	0.55000	0.408	25.82
H22.6.28	0.14	0.55000	0.41	25.45
H22.6.29	0.139	0.55000	0.411	25.27
H22.6.30	0.138	0.55000	0.412	25.09
H22.7.1	0.138	0.55000	0.412	25.09
H22.7.2	0.137	0.55000	0.413	24.91
H22.7.5	0.136	0.55000	0.414	24.73
H22.7.6	0.135	0.54846	0.41346	24.61
H22.7.7	0.135	0.54769	0.41269	24.65
H22.7.8	0.134	0.54769	0.41369	24.47
H22.7.9	0.134	0.54769	0.41369	24.47
H22.7.12	0.133	0.54769	0.41469	24.28
H22.7.13	0.133	0.54769	0.41469	24.28
H22.7.14	0.132	0.54692	0.41492	24.14
H22.7.15	0.14	0.54692	0.40692	25.6
H22.7.16	0.13	0.54615	0.41615	23.8
H22.7.20	0.128	0.54385	0.41585	23.54
H22.7.21	0.128	0.54077	0.41277	23.67
H22.7.22	0.127	0.54077	0.41377	23.49
H22.7.23	0.127	0.54077	0.41377	23.49
H22.7.26	0.133	0.54077	0.40777	24.59
H22.7.27	0.133	0.54077	0.40777	24.59
H22.7.28	0.132	0.54077	0.40877	24.41
H22.7.29	0.132	0.53923	0.40723	24.48
H22.7.30	0.131	0.53769	0.40669	24.36
H22.8.2	0.129	0.53692	0.40792	24.03
H22.8.3	0.129	0.53692	0.40792	24.03
H22.8.4	0.128	0.53692	0.40892	23.84
H22.8.5	0.127	0.53692	0.40992	23.65
H22.8.6	0.126	0.53692	0.41092	23.47
H22.8.9	0.125	0.53692	0.41192	23.28
H22.8.10	0.124	0.53692	0.41292	23.09
H22.8.11	0.123	0.53692	0.41392	22.91
H22.8.12	0.123	0.53692	0.41392	22.91
H22.8.13	0.122	0.53692	0.41492	22.72
H22.8.16	0.129	0.53692	0.40792	24.03
H22.8.17	0.129	0.53538	0.40638	24.1
H22.8.18	0.119	0.53231	0.41331	22.36
H22.8.19	0.117	0.53077	0.41377	22.04
H22.8.20	0.108	0.53077	0.42277	20.35
H22.8.23	0.107	0.53077	0.42377	20.16
H22.8.24	0.114	0.53077	0.41677	21.48
H22.8.25	0.113	0.53077	0.41777	21.29
H22.8.26	0.113	0.53077	0.41777	21.29
H22.8.27	0.112	0.53077	0.41877	21.1
H22.8.30	0.11	0.53077	0.42077	20.72
H22.8.31	0.109	0.52923	0.42023	20.6

基準日	JGB	tibor	差異	寄与度
H22.9.1	0.108	0.52231	0.41431	20.68
H22.9.2	0.107	0.52077	0.41377	20.55
H22.9.3	0.107	0.51846	0.41146	20.64
H22.9.6	0.112	0.51538	0.40338	21.73
H22.9.7	0.111	0.51231	0.40131	21.67
H22.9.8	0.114	0.51154	0.39754	22.29
H22.9.9	0.113	0.51154	0.39854	22.09
H22.9.10	0.112	0.51077	0.39877	21.93
H22.9.13	0.11	0.51000	0.4	21.57
H22.9.14	0.11	0.50923	0.39923	21.6
H22.9.15	0.12	0.50769	0.38769	23.64
H22.9.16	0.119	0.50615	0.38715	23.51
H22.9.17	0.119	0.50538	0.38638	23.55
H22.9.21	0.116	0.50462	0.38862	22.99
H22.9.22	0.116	0.50462	0.38862	22.99
H22.9.24	0.115	0.50462	0.38962	22.79
H22.9.27	0.114	0.50462	0.39062	22.59
H22.9.28	0.114	0.50462	0.39062	22.59
H22.9.29	0.113	0.50385	0.39085	22.43
H22.9.30	0.112	0.50231	0.39031	22.3
H22.10.1	0.112	0.50154	0.38954	22.33
H22.10.4	0.115	0.50077	0.38577	22.96
H22.10.5	0.105	0.50077	0.39577	20.97
H22.10.6	0.104	0.49231	0.38831	21.12
H22.10.7	0.111	0.48923	0.37823	22.69
H22.10.8	0.111	0.48615	0.37515	22.83
H22.10.12	0.11	0.48538	0.37538	22.66
H22.10.13	0.11	0.48462	0.37462	22.7
H22.10.14	0.11	0.48308	0.37308	22.77
H22.10.15	0.11	0.48077	0.37077	22.88
H22.10.18	0.11	0.48000	0.37	22.92
H22.10.19	0.109	0.47923	0.37023	22.74
H22.10.20	0.109	0.47846	0.36946	22.78
H22.10.21	0.109	0.47846	0.36946	22.78
H22.10.22	0.109	0.47846	0.36946	22.78
H22.10.25	0.108	0.47846	0.37046	22.57
H22.10.26	0.108	0.47846	0.37046	22.57
H22.10.27	0.111	0.47846	0.36746	23.2
H22.10.28	0.111	0.47846	0.36746	23.2
H22.10.29	0.117	0.47846	0.36146	24.45
H22.11.1	0.116	0.47846	0.36246	24.24
H22.11.2	0.115	0.47846	0.36346	24.04
H22.11.4	0.114	0.47846	0.36446	23.83
H22.11.5	0.121	0.47846	0.35746	25.29
H22.11.8	0.12	0.47846	0.35846	25.08
H22.11.9	0.12	0.47846	0.35846	25.08
H22.11.10	0.12	0.47846	0.35846	25.08
H22.11.11	0.12	0.47846	0.35846	25.08
H22.11.12	0.12	0.47846	0.35846	25.08
H22.11.15	0.13	0.47846	0.34846	27.17
H22.11.16	0.129	0.47846	0.34946	26.96
H22.11.17	0.139	0.47846	0.33946	29.05
H22.11.18	0.139	0.47846	0.33946	29.05
H22.11.19	0.138	0.47846	0.34046	28.84
H22.11.22	0.137	0.47846	0.34146	28.63

基準日	JGB	tibor	差異	寄与度
H22.11.24	0.137	0.47846	0.34146	28.63
H22.11.25	0.147	0.47846	0.33146	30.72
H22.11.26	0.149	0.47846	0.32946	31.14
H22.11.29	0.155	0.47769	0.32269	32.45
H22.11.30	0.155	0.47769	0.32269	32.45
H22.12.1	0.154	0.47769	0.32369	32.24
H22.12.2	0.154	0.47769	0.32369	32.24
H22.12.3	0.154	0.47692	0.32292	32.29
H22.12.6	0.149	0.47692	0.32792	31.24
H22.12.7	0.149	0.47692	0.32792	31.24
H22.12.8	0.159	0.47692	0.31792	33.34
H22.12.9	0.159	0.47692	0.31792	33.34
H22.12.10	0.159	0.47692	0.31792	33.34
H22.12.13	0.16	0.47692	0.31692	33.55
H22.12.14	0.16	0.47692	0.31692	33.55
H22.12.15	0.17	0.47692	0.30692	35.65
H22.12.16	0.16	0.47692	0.31692	33.55
H22.12.17	0.159	0.47692	0.31792	33.34
H22.12.20	0.159	0.47692	0.31792	33.34
H22.12.21	0.158	0.47692	0.31892	33.13
H22.12.22	0.158	0.47692	0.31892	33.13
H22.12.24	0.158	0.47692	0.31892	33.13
H22.12.27	0.158	0.47692	0.31892	33.13
H22.12.28	0.147	0.47692	0.32992	30.82
H22.12.29	0.147	0.47615	0.32915	30.87
H22.12.30	0.143	0.47538	0.33238	30.08
H23.1.4	0.141	0.47385	0.33285	29.76
H23.1.5	0.141	0.47231	0.33131	29.85
H23.1.6	0.14	0.47154	0.33154	29.69
H23.1.7	0.14	0.47077	0.33077	29.74
H23.1.11	0.139	0.47000	0.331	29.57
H23.1.12	0.139	0.47000	0.331	29.57
H23.1.13	0.139	0.47000	0.331	29.57
H23.1.14	0.139	0.47000	0.331	29.57
H23.1.17	0.14	0.47000	0.33	29.79
H23.1.18	0.15	0.47000	0.32	31.91
H23.1.19	0.15	0.47000	0.32	31.91
H23.1.20	0.14	0.47000	0.33	29.79
H23.1.21	0.148	0.47000	0.322	31.49
H23.1.24	0.147	0.47000	0.323	31.28
H23.1.25	0.15	0.47000	0.32	31.91
H23.1.26	0.15	0.47000	0.32	31.91
H23.1.27	0.15	0.47000	0.32	31.91
H23.1.28	0.15	0.47000	0.32	31.91
H23.1.31	0.15	0.47000	0.32	31.91
H23.2.1	0.15	0.47000	0.32	31.91
H23.2.2	0.15	0.47000	0.32	31.91
H23.2.3	0.149	0.47000	0.321	31.7
H23.2.4	0.149	0.47000	0.321	31.7
H23.2.7	0.159	0.47000	0.311	33.83
H23.2.8	0.159	0.47000	0.311	33.83
H23.2.9	0.169	0.47000	0.301	35.96
H23.2.10	0.169	0.47000	0.301	35.96
H23.2.14	0.169	0.47000	0.301	35.96
H23.2.15	0.17	0.47000	0.3	36.17

基準日	JGB	tibor	差異	寄与度
H23.2.16	0.17	0.47000	0.3	36.17
H23.2.17	0.171	0.47000	0.299	36.38
H23.2.18	0.17	0.47000	0.3	36.17
H23.2.21	0.17	0.47000	0.3	36.17
H23.2.22	0.17	0.47000	0.3	36.17
H23.2.23	0.17	0.47000	0.3	36.17
H23.2.24	0.17	0.47000	0.3	36.17
H23.2.25	0.173	0.47000	0.297	36.81
H23.2.28	0.18	0.47000	0.29	38.3
H23.3.1	0.181	0.47000	0.289	38.51
H23.3.2	0.175	0.47000	0.295	37.23
H23.3.3	0.176	0.47000	0.294	37.45
H23.3.4	0.177	0.47000	0.293	37.66
H23.3.7	0.171	0.47000	0.299	36.38
H23.3.8	0.171	0.47000	0.299	36.38
H23.3.9	0.171	0.47000	0.299	36.38
H23.3.10	0.171	0.47000	0.299	36.38
H23.3.11	0.171	0.47000	0.299	36.38
H23.3.14	0.141	0.47000	0.329	30
H23.3.15	0.18	0.47000	0.29	38.3
H23.3.16	0.189	0.47000	0.281	40.21
H23.3.17	0.179	0.47000	0.291	38.09
H23.3.18	0.169	0.47000	0.301	35.96
H23.3.22	0.169	0.47000	0.301	35.96
H23.3.23	0.169	0.47000	0.301	35.96
H23.3.24	0.16	0.47000	0.31	34.04
H23.3.25	0.149	0.47000	0.321	31.7
H23.3.28	0.15	0.47000	0.32	31.91
H23.3.29	0.15	0.47000	0.32	31.91
H23.3.30	0.149	0.47000	0.321	31.7
H23.3.31	0.149	0.47000	0.321	31.7
H23.4.1	0.149	0.47000	0.321	31.7
H23.4.4	0.15	0.47000	0.32	31.91
H23.4.5	0.15	0.47000	0.32	31.91
H23.4.6	0.15	0.47000	0.32	31.91
H23.4.7	0.15	0.47000	0.32	31.91
H23.4.8	0.15	0.47000	0.32	31.91
H23.4.11	0.15	0.47000	0.32	31.91
H23.4.12	0.15	0.47000	0.32	31.91
H23.4.13	0.15	0.47000	0.32	31.91
H23.4.14	0.15	0.47000	0.32	31.91
H23.4.15	0.15	0.47000	0.32	31.91
H23.4.18	0.149	0.47000	0.321	31.7
H23.4.19	0.149	0.47000	0.321	31.7
H23.4.20	0.149	0.47000	0.321	31.7
H23.4.21	0.149	0.47000	0.321	31.7
H23.4.22	0.149	0.47000	0.321	31.7
H23.4.25	0.16	0.47000	0.31	34.04
H23.4.26	0.16	0.47000	0.31	34.04
H23.4.27	0.16	0.47000	0.31	34.04
H23.4.28	0.16	0.47000	0.31	34.04
H23.5.2	0.16	0.47000	0.31	34.04
H23.5.6	0.15	0.47000	0.32	31.91
H23.5.9	0.15	0.47000	0.32	31.91
H23.5.10	0.15	0.47000	0.32	31.91

基準日	JGB	tibor	差異	寄与度
H23.5.11	0.15	0.47000	0.32	31.91
H23.5.12	0.151	0.47000	0.319	32.13
H23.5.13	0.151	0.47000	0.319	32.13
H23.5.16	0.159	0.47000	0.311	33.83
H23.5.17	0.159	0.47000	0.311	33.83
H23.5.18	0.159	0.47000	0.311	33.83
H23.5.19	0.159	0.47000	0.311	33.83
H23.5.20	0.159	0.47000	0.311	33.83
H23.5.23	0.159	0.47000	0.311	33.83
H23.5.24	0.159	0.47000	0.311	33.83
H23.5.25	0.16	0.47000	0.31	34.04
H23.5.26	0.16	0.47000	0.31	34.04
H23.5.27	0.16	0.47000	0.31	34.04
H23.5.30	0.15	0.47000	0.32	31.91
H23.5.31	0.15	0.47000	0.32	31.91
H23.6.1	0.15	0.47000	0.32	31.91
H23.6.2	0.14	0.47000	0.33	29.79
H23.6.3	0.14	0.47000	0.33	29.79
H23.6.6	0.14	0.47000	0.33	29.79
H23.6.7	0.14	0.47000	0.33	29.79
H23.6.8	0.14	0.47000	0.33	29.79
H23.6.9	0.14	0.47000	0.33	29.79
H23.6.10	0.14	0.47000	0.33	29.79
H23.6.13	0.14	0.47000	0.33	29.79
H23.6.14	0.14	0.47000	0.33	29.79
H23.6.15	0.14	0.47000	0.33	29.79
H23.6.16	0.139	0.47000	0.331	29.57
H23.6.17	0.139	0.47000	0.331	29.57
H23.6.20	0.129	0.47000	0.341	27.45
H23.6.21	0.129	0.47000	0.341	27.45
H23.6.22	0.129	0.47000	0.341	27.45
H23.6.23	0.129	0.47000	0.341	27.45
H23.6.24	0.129	0.47000	0.341	27.45
H23.6.27	0.13	0.47000	0.34	27.66
H23.6.28	0.13	0.47000	0.34	27.66
H23.6.29	0.13	0.47000	0.34	27.66
H23.6.30	0.13	0.47000	0.34	27.66
H23.7.1	0.12	0.47000	0.35	25.53
H23.7.4	0.12	0.47000	0.35	25.53
H23.7.5	0.12	0.47000	0.35	25.53
H23.7.6	0.12	0.47000	0.35	25.53
H23.7.7	0.12	0.47000	0.35	25.53
H23.7.8	0.123	0.47000	0.347	26.17
H23.7.11	0.122	0.47000	0.348	25.96
H23.7.12	0.122	0.47000	0.348	25.96
H23.7.13	0.121	0.47000	0.349	25.74
H23.7.14	0.121	0.47000	0.349	25.74
H23.7.15	0.13	0.47000	0.34	27.66
H23.7.19	0.128	0.47000	0.342	27.23
H23.7.20	0.128	0.47000	0.342	27.23
H23.7.21	0.128	0.47000	0.342	27.23
H23.7.22	0.128	0.47000	0.342	27.23
H23.7.25	0.127	0.47000	0.343	27.02
H23.7.26	0.126	0.47000	0.344	26.81
H23.7.27	0.126	0.47000	0.344	26.81

基準日	JGB	tibor	差異	寄与度
H23.7.28	0.126	0.47000	0.344	26.81
H23.7.29	0.126	0.47000	0.344	26.81
H23.8.1	0.125	0.47000	0.345	26.6
H23.8.2	0.125	0.47000	0.345	26.6
H23.8.3	0.124	0.47000	0.346	26.38
H23.8.4	0.124	0.47000	0.346	26.38
H23.8.5	0.12	0.46929	0.34929	25.57
H23.8.8	0.123	0.46786	0.34486	26.29
H23.8.9	0.123	0.46643	0.34343	26.37
H23.8.10	0.122	0.46571	0.34371	26.2
H23.8.11	0.122	0.46429	0.34229	26.28
H23.8.12	0.122	0.46286	0.34086	26.36
H23.8.15	0.12	0.46143	0.34143	26.01
H23.8.16	0.119	0.46143	0.34243	25.79
H23.8.17	0.119	0.46143	0.34243	25.79
H23.8.18	0.119	0.46143	0.34243	25.79
H23.8.19	0.119	0.46071	0.34171	25.83
H23.8.22	0.118	0.46000	0.342	25.65
H23.8.23	0.118	0.46000	0.342	25.65
H23.8.24	0.118	0.46000	0.342	25.65
H23.8.25	0.118	0.46000	0.342	25.65
H23.8.26	0.117	0.46000	0.343	25.43
H23.8.29	0.117	0.46000	0.343	25.43
H23.8.30	0.117	0.46000	0.343	25.43
H23.8.31	0.117	0.46000	0.343	25.43
H23.9.1	0.117	0.46000	0.343	25.43
H23.9.2	0.117	0.46000	0.343	25.43
H23.9.5	0.117	0.46000	0.343	25.43
H23.9.6	0.118	0.46000	0.342	25.65
H23.9.7	0.118	0.46000	0.342	25.65
H23.9.8	0.118	0.46000	0.342	25.65
H23.9.9	0.118	0.46000	0.342	25.65
H23.9.12	0.119	0.46000	0.341	25.87
H23.9.13	0.119	0.46000	0.341	25.87
H23.9.14	0.119	0.46000	0.341	25.87
H23.9.15	0.11	0.46000	0.35	23.91
H23.9.16	0.11	0.46000	0.35	23.91
H23.9.20	0.111	0.46000	0.349	24.13
H23.9.21	0.111	0.46000	0.349	24.13
H23.9.22	0.112	0.46000	0.348	24.35
H23.9.26	0.113	0.46000	0.347	24.57
H23.9.27	0.113	0.46000	0.347	24.57
H23.9.28	0.113	0.46000	0.347	24.57
H23.9.29	0.114	0.46000	0.346	24.78
H23.9.30	0.114	0.46000	0.346	24.78
H23.10.3	0.115	0.46000	0.345	25
H23.10.4	0.116	0.46000	0.344	25.22
H23.10.5	0.116	0.46000	0.344	25.22
H23.10.6	0.117	0.46000	0.343	25.43
H23.10.7	0.117	0.46000	0.343	25.43
H23.10.11	0.118	0.46000	0.342	25.65
H23.10.12	0.119	0.46000	0.341	25.87
H23.10.13	0.119	0.46000	0.341	25.87
H23.10.14	0.12	0.46000	0.34	26.09
H23.10.17	0.11	0.46000	0.35	23.91

基準日	JGB	tibor	差異	寄与度
H23.10.18	0.11	0.46000	0.35	23.91
H23.10.19	0.111	0.46000	0.349	24.13
H23.10.20	0.111	0.46000	0.349	24.13
H23.10.21	0.111	0.46000	0.349	24.13
H23.10.24	0.112	0.46000	0.348	24.35
H23.10.25	0.112	0.46000	0.348	24.35
H23.10.26	0.112	0.46000	0.348	24.35
H23.10.27	0.113	0.46000	0.347	24.57
H23.10.28	0.113	0.46000	0.347	24.57
H23.10.31	0.114	0.46000	0.346	24.78
H23.11.1	0.114	0.46000	0.346	24.78
H23.11.2	0.115	0.46000	0.345	25
H23.11.4	0.115	0.46000	0.345	25
H23.11.7	0.117	0.46000	0.343	25.43
H23.11.8	0.117	0.46000	0.343	25.43
H23.11.9	0.117	0.46000	0.343	25.43
H23.11.10	0.118	0.46000	0.342	25.65
H23.11.11	0.118	0.46000	0.342	25.65
H23.11.14	0.119	0.46000	0.341	25.87
H23.11.15	0.12	0.46000	0.34	26.09
H23.11.16	0.12	0.46000	0.34	26.09
H23.11.17	0.12	0.46000	0.34	26.09
H23.11.18	0.12	0.46000	0.34	26.09
H23.11.21	0.119	0.46000	0.341	25.87
H23.11.22	0.119	0.46000	0.341	25.87
H23.11.24	0.121	0.46000	0.339	26.3
H23.11.25	0.121	0.46000	0.339	26.3
H23.11.28	0.121	0.46000	0.339	26.3
H23.11.29	0.121	0.46000	0.339	26.3
H23.11.30	0.121	0.46000	0.339	26.3
H23.12.1	0.121	0.46000	0.339	26.3
H23.12.2	0.121	0.46000	0.339	26.3
H23.12.5	0.122	0.46000	0.338	26.52
H23.12.6	0.121	0.46000	0.339	26.3
H23.12.7	0.121	0.46000	0.339	26.3
H23.12.8	0.121	0.46000	0.339	26.3
H23.12.9	0.121	0.46000	0.339	26.3
H23.12.12	0.12	0.46000	0.34	26.09
H23.12.13	0.12	0.46000	0.34	26.09
H23.12.14	0.12	0.46000	0.34	26.09
H23.12.15	0.12	0.46000	0.34	26.09
H23.12.16	0.119	0.46000	0.341	25.87
H23.12.19	0.119	0.46000	0.341	25.87
H23.12.20	0.119	0.46000	0.341	25.87
H23.12.21	0.119	0.46000	0.341	25.87
H23.12.22	0.119	0.46000	0.341	25.87
H23.12.26	0.119	0.46000	0.341	25.87
H23.12.27	0.119	0.46000	0.341	25.87
H23.12.28	0.119	0.46000	0.341	25.87
H23.12.29	0.119	0.46000	0.341	25.87
H23.12.30	0.119	0.46000	0.341	25.87
H24.1.4	0.119	0.46000	0.341	25.87
H24.1.5	0.119	0.46000	0.341	25.87
H24.1.6	0.119	0.46000	0.341	25.87
H24.1.10	0.121	0.46000	0.339	26.3

基準日	JGB	tibor	差異	寄与度
H24.1.11	0.121	0.46000	0.339	26.3
H24.1.12	0.12	0.46000	0.34	26.09
H24.1.13	0.12	0.46000	0.34	26.09
H24.1.16	0.119	0.46000	0.341	25.87
H24.1.17	0.119	0.46000	0.341	25.87
H24.1.18	0.129	0.46000	0.331	28.04
H24.1.19	0.129	0.46000	0.331	28.04
H24.1.20	0.128	0.46000	0.332	27.83
H24.1.23	0.127	0.46000	0.333	27.61
H24.1.24	0.127	0.46000	0.333	27.61
H24.1.25	0.127	0.46000	0.333	27.61
H24.1.26	0.126	0.46000	0.334	27.39
H24.1.27	0.126	0.46000	0.334	27.39
H24.1.30	0.125	0.46000	0.335	27.17
H24.1.31	0.124	0.46000	0.336	26.96
H24.2.1	0.124	0.46000	0.336	26.96
H24.2.2	0.124	0.46000	0.336	26.96
H24.2.3	0.123	0.46000	0.337	26.74
H24.2.6	0.122	0.46000	0.338	26.52
H24.2.7	0.122	0.46000	0.338	26.52
H24.2.8	0.122	0.46000	0.338	26.52
H24.2.9	0.121	0.46000	0.339	26.3
H24.2.10	0.121	0.46000	0.339	26.3
H24.2.13	0.12	0.46000	0.34	26.09
H24.2.14	0.119	0.46000	0.341	25.87
H24.2.15	0.11	0.46000	0.35	23.91
H24.2.16	0.109	0.46000	0.351	23.7
H24.2.17	0.109	0.46000	0.351	23.7
H24.2.20	0.108	0.46000	0.352	23.48
H24.2.21	0.108	0.46000	0.352	23.48
H24.2.22	0.107	0.46000	0.353	23.26
H24.2.23	0.107	0.46000	0.353	23.26
H24.2.24	0.109	0.46000	0.351	23.7
H24.2.27	0.11	0.46000	0.35	23.91
H24.2.28	0.11	0.46000	0.35	23.91
H24.2.29	0.109	0.46000	0.351	23.7
H24.3.1	0.109	0.46000	0.351	23.7
H24.3.2	0.109	0.46000	0.351	23.7
H24.3.5	0.11	0.46000	0.35	23.91
H24.3.6	0.113	0.46000	0.347	24.57
H24.3.7	0.113	0.46000	0.347	24.57
H24.3.8	0.113	0.46000	0.347	24.57
H24.3.9	0.112	0.46000	0.348	24.35
H24.3.12	0.111	0.46000	0.349	24.13
H24.3.13	0.111	0.46000	0.349	24.13
H24.3.14	0.111	0.46000	0.349	24.13
H24.3.15	0.11	0.46000	0.35	23.91
H24.3.16	0.11	0.46000	0.35	23.91
H24.3.19	0.109	0.46000	0.351	23.7
H24.3.21	0.108	0.46000	0.352	23.48
H24.3.22	0.108	0.46000	0.352	23.48
H24.3.23	0.107	0.46000	0.353	23.26
H24.3.26	0.106	0.46000	0.354	23.04
H24.3.27	0.109	0.46000	0.351	23.7
H24.3.28	0.109	0.46000	0.351	23.7

基準日	JGB	tibor	差異	寄与度
H24.3.29	0.11	0.46000	0.35	23.91
H24.3.30	0.109	0.46000	0.351	23.7
H24.4.2	0.11	0.46000	0.35	23.91
H24.4.3	0.114	0.46000	0.346	24.78
H24.4.4	0.113	0.46000	0.347	24.57
H24.4.5	0.113	0.46000	0.347	24.57
H24.4.6	0.113	0.46000	0.347	24.57
H24.4.9	0.112	0.46000	0.348	24.35
H24.4.10	0.111	0.46000	0.349	24.13
H24.4.11	0.111	0.46000	0.349	24.13
H24.4.12	0.111	0.46000	0.349	24.13
H24.4.13	0.11	0.46000	0.35	23.91
H24.4.16	0.11	0.46000	0.35	23.91
H24.4.17	0.109	0.46000	0.351	23.7
H24.4.18	0.109	0.46000	0.351	23.7
H24.4.19	0.109	0.46000	0.351	23.7
H24.4.20	0.108	0.46000	0.352	23.48
H24.4.23	0.107	0.46000	0.353	23.26
H24.4.24	0.107	0.46000	0.353	23.26
H24.4.25	0.107	0.46000	0.353	23.26
H24.4.26	0.11	0.46000	0.35	23.91
H24.4.27	0.11	0.46000	0.35	23.91
H24.5.1	0.11	0.46000	0.35	23.91
H24.5.2	0.11	0.46000	0.35	23.91
H24.5.7	0.113	0.46000	0.347	24.57
H24.5.8	0.113	0.46000	0.347	24.57
H24.5.9	0.112	0.46000	0.348	24.35
H24.5.10	0.112	0.46000	0.348	24.35
H24.5.11	0.112	0.46000	0.348	24.35
H24.5.14	0.111	0.46000	0.349	24.13
H24.5.15	0.11	0.46000	0.35	23.91
H24.5.16	0.11	0.46000	0.35	23.91
H24.5.17	0.109	0.46000	0.351	23.7
H24.5.18	0.109	0.46000	0.351	23.7
H24.5.21	0.108	0.46000	0.352	23.48
H24.5.22	0.108	0.46000	0.352	23.48
H24.5.23	0.107	0.46000	0.353	23.26
H24.5.24	0.107	0.46000	0.353	23.26
H24.5.25	0.107	0.46000	0.353	23.26
H24.5.28	0.106	0.46000	0.354	23.04
H24.5.29	0.105	0.46000	0.355	22.83
H24.5.30	0.105	0.46000	0.355	22.83
H24.5.31	0.105	0.46000	0.355	22.83
H24.6.1	0.104	0.46000	0.356	22.61
H24.6.4	0.103	0.46000	0.357	22.39
H24.6.5	0.103	0.46000	0.357	22.39
H24.6.6	0.103	0.46000	0.357	22.39
H24.6.7	0.102	0.46000	0.358	22.17
H24.6.8	0.102	0.46000	0.358	22.17
H24.6.11	0.101	0.46000	0.359	21.96
H24.6.12	0.101	0.46000	0.359	21.96
H24.6.13	0.1	0.46000	0.36	21.74
H24.6.14	0.1	0.46000	0.36	21.74
H24.6.15	0.11	0.46000	0.35	23.91
H24.6.18	0.109	0.46000	0.351	23.7

基準日	JGB	tibor	差異	寄与度
H24.6.19	0.109	0.46000	0.351	23.7
H24.6.20	0.108	0.46000	0.352	23.48
H24.6.21	0.108	0.46000	0.352	23.48
H24.6.22	0.108	0.46000	0.352	23.48
H24.6.25	0.107	0.46000	0.353	23.26
H24.6.26	0.107	0.46000	0.353	23.26
H24.6.27	0.106	0.46000	0.354	23.04
H24.6.28	0.106	0.46000	0.354	23.04
H24.6.29	0.106	0.46000	0.354	23.04
H24.7.2	0.105	0.46000	0.355	22.83
H24.7.3	0.104	0.46000	0.356	22.61
H24.7.4	0.104	0.46000	0.356	22.61
H24.7.5	0.104	0.46000	0.356	22.61
H24.7.6	0.103	0.46000	0.357	22.39
H24.7.9	0.102	0.46000	0.358	22.17
H24.7.10	0.102	0.46000	0.358	22.17
H24.7.11	0.102	0.46000	0.358	22.17
H24.7.12	0.101	0.46000	0.359	21.96
H24.7.13	0.101	0.46000	0.359	21.96
H24.7.17	0.109	0.45750	0.3485	23.83
H24.7.18	0.109	0.45417	0.34517	24
H24.7.19	0.109	0.45083	0.34183	24.18
H24.7.20	0.108	0.45000	0.342	24
H24.7.23	0.108	0.45000	0.342	24
H24.7.24	0.107	0.45000	0.343	23.78
H24.7.25	0.107	0.45000	0.343	23.78
H24.7.26	0.107	0.45000	0.343	23.78
H24.7.27	0.106	0.45000	0.344	23.56
H24.7.30	0.105	0.45000	0.345	23.33
H24.7.31	0.105	0.45000	0.345	23.33
H24.8.1	0.105	0.45000	0.345	23.33
H24.8.2	0.104	0.45000	0.346	23.11
H24.8.3	0.104	0.45000	0.346	23.11
H24.8.6	0.103	0.45000	0.347	22.89
H24.8.7	0.103	0.45000	0.347	22.89
H24.8.8	0.102	0.45000	0.348	22.67
H24.8.9	0.102	0.45000	0.348	22.67
H24.8.10	0.102	0.45000	0.348	22.67
H24.8.13	0.101	0.45000	0.349	22.44
H24.8.14	0.101	0.45000	0.349	22.44
H24.8.15	0.1	0.45000	0.35	22.22
H24.8.16	0.1	0.45000	0.35	22.22
H24.8.17	0.099	0.45000	0.351	22
H24.8.20	0.099	0.45000	0.351	22
H24.8.21	0.098	0.45000	0.352	21.78
H24.8.22	0.098	0.45000	0.352	21.78
H24.8.23	0.098	0.45000	0.352	21.78
H24.8.24	0.098	0.45000	0.352	21.78
H24.8.27	0.098	0.45000	0.352	21.78
H24.8.28	0.098	0.45000	0.352	21.78
H24.8.29	0.097	0.45000	0.353	21.56
H24.8.30	0.097	0.45000	0.353	21.56
H24.8.31	0.097	0.45000	0.353	21.56
H24.9.3	0.102	0.45000	0.348	22.67
H24.9.4	0.101	0.45000	0.349	22.44

基準日	JGB	tibor	差異	寄与度
H24.9.5	0.101	0.45000	0.349	22.44
H24.9.6	0.101	0.45000	0.349	22.44
H24.9.7	0.101	0.45000	0.349	22.44
H24.9.10	0.1	0.45000	0.35	22.22
H24.9.11	0.1	0.45000	0.35	22.22
H24.9.12	0.1	0.45000	0.35	22.22
H24.9.13	0.1	0.45000	0.35	22.22
H24.9.14	0.1	0.45000	0.35	22.22
H24.9.18	0.1	0.45000	0.35	22.22
H24.9.19	0.1	0.45000	0.35	22.22
H24.9.20	0.1	0.45000	0.35	22.22
H24.9.21	0.1	0.44667	0.34667	22.39
H24.9.24	0.1	0.44500	0.345	22.47
H24.9.25	0.1	0.44333	0.34333	22.56
H24.9.26	0.1	0.44250	0.3425	22.6
H24.9.27	0.1	0.44250	0.3425	22.6
H24.9.28	0.1	0.44250	0.3425	22.6
H24.10.1	0.1	0.44250	0.3425	22.6
H24.10.2	0.1	0.44167	0.34167	22.64
H24.10.3	0.1	0.44167	0.34167	22.64
H24.10.4	0.1	0.44167	0.34167	22.64
H24.10.5	0.1	0.44167	0.34167	22.64
H24.10.9	0.1	0.44167	0.34167	22.64
H24.10.10	0.1	0.44167	0.34167	22.64
H24.10.11	0.1	0.44167	0.34167	22.64
H24.10.12	0.1	0.44167	0.34167	22.64
H24.10.15	0.1	0.44167	0.34167	22.64
H24.10.16	0.1	0.44167	0.34167	22.64
H24.10.17	0.1	0.44167	0.34167	22.64
H24.10.18	0.1	0.44167	0.34167	22.64
H24.10.19	0.1	0.44167	0.34167	22.64
H24.10.22	0.099	0.44167	0.34267	22.41
H24.10.23	0.099	0.44167	0.34267	22.41
H24.10.24	0.099	0.44167	0.34267	22.41
H24.10.25	0.098	0.44167	0.34367	22.19
H24.10.26	0.098	0.44167	0.34367	22.19
H24.10.29	0.102	0.44167	0.33967	23.09
H24.10.30	0.102	0.44167	0.33967	23.09
H24.10.31	0.102	0.44083	0.33883	23.14
H24.11.1	0.101	0.43750	0.3365	23.09
H24.11.2	0.101	0.43500	0.334	23.22
H24.11.5	0.101	0.43500	0.334	23.22
H24.11.6	0.101	0.43500	0.334	23.22
H24.11.7	0.101	0.43500	0.334	23.22
H24.11.8	0.101	0.43500	0.334	23.22
H24.11.9	0.101	0.43500	0.334	23.22
H24.11.12	0.1	0.43500	0.335	22.99
H24.11.13	0.1	0.43500	0.335	22.99
H24.11.14	0.1	0.43500	0.335	22.99
H24.11.15	0.1	0.43500	0.335	22.99
H24.11.16	0.1	0.43500	0.335	22.99
H24.11.19	0.099	0.43500	0.336	22.76
H24.11.20	0.098	0.43500	0.337	22.53
H24.11.21	0.098	0.43500	0.337	22.53
H24.11.22	0.098	0.43500	0.337	22.53

基準日	JGB	tibor	差異	寄与度
H24.11.26	0.096	0.43500	0.339	22.07
H24.11.27	0.096	0.43500	0.339	22.07
H24.11.28	0.099	0.43500	0.336	22.76
H24.11.29	0.099	0.43500	0.336	22.76
H24.11.30	0.099	0.43500	0.336	22.76
H24.12.3	0.104	0.43500	0.331	23.91
H24.12.4	0.104	0.43500	0.331	23.91
H24.12.5	0.103	0.43500	0.332	23.68
H24.12.6	0.103	0.43500	0.332	23.68
H24.12.7	0.102	0.43500	0.333	23.45
H24.12.10	0.101	0.43500	0.334	23.22
H24.12.11	0.101	0.43500	0.334	23.22
H24.12.12	0.101	0.43500	0.334	23.22
H24.12.13	0.1	0.43500	0.335	22.99
H24.12.14	0.1	0.43500	0.335	22.99
H24.12.17	0.099	0.43500	0.336	22.76
H24.12.18	0.099	0.43500	0.336	22.76
H24.12.19	0.099	0.43500	0.336	22.76
H24.12.20	0.099	0.43500	0.336	22.76
H24.12.21	0.098	0.43167	0.33367	22.7
H24.12.25	0.098	0.42417	0.32617	23.1
H24.12.26	0.098	0.42417	0.32617	23.1
H24.12.27	0.098	0.42417	0.32617	23.1
H24.12.28	0.098	0.42417	0.32617	23.1
H25.1.4	0.101	0.42417	0.32317	23.81
H25.1.7	0.101	0.42417	0.32317	23.81
H25.1.8	0.101	0.42417	0.32317	23.81
H25.1.9	0.1	0.42417	0.32417	23.58
H25.1.10	0.1	0.42417	0.32417	23.58
H25.1.11	0.089	0.42417	0.33517	20.98
H25.1.15	0.08	0.42333	0.34333	18.9
H25.1.16	0.08	0.42250	0.3425	18.93
H25.1.17	0.08	0.42083	0.34083	19.01
H25.1.18	0.079	0.42083	0.34183	18.77
H25.1.21	0.079	0.42083	0.34183	18.77
H25.1.22	0.078	0.42083	0.34283	18.53
H25.1.23	0.088	0.41750	0.3295	21.08
H25.1.24	0.087	0.41167	0.32467	21.13
H25.1.25	0.08	0.40917	0.32917	19.55
H25.1.28	0.086	0.40833	0.32233	21.06
H25.1.29	0.086	0.40833	0.32233	21.06
H25.1.30	0.085	0.40833	0.32333	20.82
H25.1.31	0.075	0.40833	0.33333	18.37
H25.2.1	0.075	0.40833	0.33333	18.37
H25.2.4	0.073	0.40833	0.33533	17.88
H25.2.5	0.073	0.40833	0.33533	17.88
H25.2.6	0.063	0.40833	0.34533	15.43
H25.2.7	0.06	0.40750	0.3475	14.72
H25.2.8	0.059	0.40583	0.34683	14.54
H25.2.12	0.06	0.40083	0.34083	14.97
H25.2.13	0.06	0.39833	0.33833	15.06
H25.2.14	0.06	0.39583	0.33583	15.16
H25.2.15	0.07	0.39083	0.32083	17.91
H25.2.18	0.068	0.39000	0.322	17.44
H25.2.19	0.067	0.38583	0.31883	17.37

基準日	JGB	tibor	差異	寄与度
H25.2.20	0.067	0.38333	0.31633	17.48
H25.2.21	0.066	0.38250	0.3165	17.25
H25.2.22	0.065	0.38167	0.31667	17.03
H25.2.25	0.063	0.38000	0.317	16.58
H25.2.26	0.063	0.38000	0.317	16.58
H25.2.27	0.062	0.38000	0.318	16.32
H25.2.28	0.062	0.38000	0.318	16.32
H25.3.1	0.061	0.38000	0.319	16.05
H25.3.4	0.049	0.37833	0.32933	12.95
H25.3.5	0.048	0.37333	0.32533	12.86
H25.3.6	0.047	0.36750	0.3205	12.79
H25.3.7	0.046	0.36333	0.31733	12.66
H25.3.8	0.046	0.36000	0.314	12.78
H25.3.11	0.043	0.36000	0.317	11.94
H25.3.12	0.043	0.36000	0.317	11.94
H25.3.13	0.042	0.36000	0.318	11.67
H25.3.14	0.041	0.36000	0.319	11.39
H25.3.15	0.05	0.36000	0.31	13.89
H25.3.18	0.049	0.36000	0.311	13.61
H25.3.19	0.049	0.36000	0.311	13.61
H25.3.21	0.048	0.36000	0.312	13.33
H25.3.22	0.048	0.36000	0.312	13.33
H25.3.25	0.047	0.36000	0.313	13.06
H25.3.26	0.046	0.36000	0.314	12.78
H25.3.27	0.046	0.36000	0.314	12.78
H25.3.28	0.046	0.36000	0.314	12.78
H25.3.29	0.056	0.36000	0.304	15.56
H25.4.1	0.06	0.36000	0.3	16.67
H25.4.2	0.06	0.36000	0.3	16.67
H25.4.3	0.06	0.36000	0.3	16.67
H25.4.4	0.06	0.36000	0.3	16.67
H25.4.5	0.08	0.35500	0.275	22.54
H25.4.8	0.09	0.34750	0.2575	25.9
H25.4.9	0.1	0.34583	0.24583	28.92
H25.4.10	0.118	0.34500	0.227	34.2
H25.4.11	0.109	0.34500	0.236	31.59
H25.4.12	0.118	0.34417	0.22617	34.29
H25.4.15	0.11	0.34333	0.23333	32.04
H25.4.16	0.11	0.34000	0.23	32.35
H25.4.17	0.11	0.34000	0.23	32.35
H25.4.18	0.111	0.33917	0.22817	32.73
H25.4.19	0.111	0.33917	0.22817	32.73
H25.4.22	0.112	0.33917	0.22717	33.02
H25.4.23	0.112	0.33917	0.22717	33.02
H25.4.24	0.113	0.33917	0.22617	33.32
H25.4.25	0.113	0.33917	0.22617	33.32
H25.4.26	0.113	0.33917	0.22617	33.32
H25.4.30	0.115	0.33917	0.22417	33.91
H25.5.1	0.115	0.33917	0.22417	33.91
H25.5.2	0.105	0.33917	0.23417	30.96
H25.5.7	0.107	0.33917	0.23217	31.55
H25.5.8	0.108	0.33917	0.23117	31.84
H25.5.9	0.108	0.33917	0.23117	31.84
H25.5.10	0.109	0.33917	0.23017	32.14
H25.5.13	0.11	0.33917	0.22917	32.43

基準日	JGB	tibor	差異	寄与度
H25.5.14	0.11	0.33917	0.22917	32.43
H25.5.15	0.11	0.33917	0.22917	32.43
H25.5.16	0.11	0.33917	0.22917	32.43
H25.5.17	0.111	0.33917	0.22817	32.73
H25.5.20	0.111	0.33917	0.22817	32.73
H25.5.21	0.112	0.33917	0.22717	33.02
H25.5.22	0.112	0.33917	0.22717	33.02
H25.5.23	0.112	0.33917	0.22717	33.02
H25.5.24	0.113	0.33917	0.22617	33.32
H25.5.27	0.114	0.33917	0.22517	33.61
H25.5.28	0.114	0.33917	0.22517	33.61
H25.5.29	0.114	0.33917	0.22517	33.61
H25.5.30	0.115	0.33917	0.22417	33.91
H25.5.31	0.115	0.33917	0.22417	33.91
H25.6.3	0.11	0.33917	0.22917	32.43
H25.6.4	0.11	0.33917	0.22917	32.43
H25.6.5	0.1	0.33917	0.23917	29.48
H25.6.6	0.1	0.33917	0.23917	29.48
H25.6.7	0.1	0.33917	0.23917	29.48
H25.6.10	0.1	0.33917	0.23917	29.48
H25.6.11	0.1	0.33917	0.23917	29.48
H25.6.12	0.1	0.33917	0.23917	29.48
H25.6.13	0.1	0.33917	0.23917	29.48
H25.6.14	0.1	0.33917	0.23917	29.48
H25.6.17	0.101	0.33917	0.23817	29.78
H25.6.18	0.101	0.33917	0.23817	29.78
H25.6.19	0.101	0.33917	0.23817	29.78
H25.6.20	0.102	0.33917	0.23717	30.07
H25.6.21	0.102	0.33917	0.23717	30.07
H25.6.24	0.103	0.33917	0.23617	30.37
H25.6.25	0.103	0.33917	0.23617	30.37
H25.6.26	0.104	0.33917	0.23517	30.66
H25.6.27	0.104	0.33917	0.23517	30.66
H25.6.28	0.104	0.33917	0.23517	30.66
H25.7.1	0.105	0.33909	0.23409	30.97
H25.7.2	0.106	0.33909	0.23309	31.26
H25.7.3	0.106	0.33909	0.23309	31.26
H25.7.4	0.106	0.33909	0.23309	31.26
H25.7.5	0.107	0.33909	0.23209	31.56
H25.7.8	0.108	0.33909	0.23109	31.85
H25.7.9	0.108	0.33909	0.23109	31.85
H25.7.10	0.109	0.33909	0.23009	32.14
H25.7.11	0.109	0.33909	0.23009	32.14
H25.7.12	0.109	0.33909	0.23009	32.14
H25.7.16	0.11	0.33909	0.22909	32.44
H25.7.17	0.11	0.33909	0.22909	32.44
H25.7.18	0.11	0.33909	0.22909	32.44
H25.7.19	0.11	0.33909	0.22909	32.44
H25.7.22	0.11	0.33909	0.22909	32.44
H25.7.23	0.11	0.33909	0.22909	32.44
H25.7.24	0.11	0.33909	0.22909	32.44
H25.7.25	0.11	0.33909	0.22909	32.44
H25.7.26	0.11	0.33909	0.22909	32.44
H25.7.29	0.11	0.33909	0.22909	32.44
H25.7.30	0.106	0.33909	0.23309	31.26

基準日	JGB	tibor	差異	寄与度
H25.7.31	0.1	0.33909	0.23909	29.49
H25.8.1	0.1	0.33909	0.23909	29.49
H25.8.2	0.1	0.33909	0.23909	29.49
H25.8.5	0.1	0.33909	0.23909	29.49
H25.8.6	0.1	0.33909	0.23909	29.49
H25.8.7	0.1	0.33909	0.23909	29.49
H25.8.8	0.1	0.33909	0.23909	29.49
H25.8.9	0.1	0.33909	0.23909	29.49
H25.8.12	0.1	0.33909	0.23909	29.49
H25.8.13	0.1	0.33909	0.23909	29.49
H25.8.14	0.1	0.33909	0.23909	29.49
H25.8.15	0.1	0.33909	0.23909	29.49
H25.8.16	0.1	0.33909	0.23909	29.49
H25.8.19	0.1	0.33909	0.23909	29.49
H25.8.20	0.1	0.33909	0.23909	29.49
H25.8.21	0.1	0.33909	0.23909	29.49
H25.8.22	0.1	0.33909	0.23909	29.49
H25.8.23	0.1	0.33909	0.23909	29.49
H25.8.26	0.1	0.33909	0.23909	29.49
H25.8.27	0.1	0.33909	0.23909	29.49
H25.8.28	0.1	0.33909	0.23909	29.49
H25.8.29	0.1	0.33909	0.23909	29.49
H25.8.30	0.1	0.33909	0.23909	29.49
H25.9.2	0.1	0.33909	0.23909	29.49
H25.9.3	0.1	0.33909	0.23909	29.49
H25.9.4	0.1	0.33909	0.23909	29.49
H25.9.5	0.1	0.33909	0.23909	29.49
H25.9.6	0.1	0.33909	0.23909	29.49
H25.9.9	0.1	0.33909	0.23909	29.49
H25.9.10	0.1	0.33909	0.23909	29.49
H25.9.11	0.1	0.33909	0.23909	29.49
H25.9.12	0.1	0.33909	0.23909	29.49
H25.9.13	0.1	0.33909	0.23909	29.49
H25.9.17	0.1	0.33909	0.23909	29.49
H25.9.18	0.1	0.33909	0.23909	29.49
H25.9.19	0.1	0.33909	0.23909	29.49
H25.9.20	0.1	0.33909	0.23909	29.49
H25.9.24	0.097	0.33909	0.24209	28.61
H25.9.25	0.097	0.33909	0.24209	28.61
H25.9.26	0.097	0.33909	0.24209	28.61
H25.9.27	0.096	0.33909	0.24309	28.31
H25.9.30	0.095	0.33909	0.24409	28.02
H25.10.1	0.095	0.33818	0.24318	28.09
H25.10.2	0.09	0.33727	0.24727	26.68
H25.10.3	0.084	0.33727	0.25327	24.91
H25.10.4	0.084	0.33545	0.25145	25.04
H25.10.7	0.083	0.33364	0.25064	24.88
H25.10.8	0.083	0.33182	0.24882	25.01
H25.10.9	0.082	0.33091	0.24891	24.78
H25.10.10	0.08	0.33000	0.25	24.24
H25.10.11	0.08	0.33000	0.25	24.24
H25.10.15	0.08	0.33000	0.25	24.24
H25.10.16	0.08	0.33000	0.25	24.24
H25.10.17	0.08	0.33000	0.25	24.24
H25.10.18	0.08	0.33000	0.25	24.24

基準日	JGB	tibor	差異	寄与度
H25.10.21	0.08	0.33000	0.25	24.24
H25.10.22	0.08	0.33000	0.25	24.24
H25.10.23	0.08	0.33000	0.25	24.24
H25.10.24	0.08	0.33000	0.25	24.24
H25.10.25	0.087	0.33000	0.243	26.36
H25.10.28	0.086	0.33000	0.244	26.06
H25.10.29	0.086	0.33000	0.244	26.06
H25.10.30	0.09	0.33000	0.24	27.27
H25.10.31	0.09	0.33000	0.24	27.27
H25.11.1	0.09	0.33000	0.24	27.27
H25.11.5	0.09	0.33000	0.24	27.27
H25.11.6	0.09	0.33000	0.24	27.27
H25.11.7	0.09	0.33000	0.24	27.27
H25.11.8	0.09	0.33000	0.24	27.27
H25.11.11	0.09	0.33000	0.24	27.27
H25.11.12	0.09	0.33000	0.24	27.27
H25.11.13	0.09	0.33000	0.24	27.27
H25.11.14	0.09	0.33000	0.24	27.27
H25.11.15	0.09	0.33000	0.24	27.27
H25.11.18	0.09	0.33000	0.24	27.27
H25.11.19	0.09	0.33000	0.24	27.27
H25.11.20	0.09	0.33000	0.24	27.27
H25.11.21	0.09	0.33000	0.24	27.27
H25.11.22	0.09	0.33000	0.24	27.27
H25.11.25	0.09	0.33000	0.24	27.27
H25.11.26	0.09	0.33000	0.24	27.27
H25.11.27	0.09	0.33000	0.24	27.27
H25.11.28	0.09	0.33000	0.24	27.27
H25.11.29	0.086	0.33000	0.244	26.06
H25.12.2	0.08	0.33000	0.25	24.24
H25.12.3	0.08	0.33000	0.25	24.24
H25.12.4	0.08	0.33000	0.25	24.24
H25.12.5	0.08	0.33000	0.25	24.24
H25.12.6	0.08	0.33000	0.25	24.24
H25.12.9	0.08	0.33000	0.25	24.24
H25.12.10	0.08	0.33000	0.25	24.24
H25.12.11	0.08	0.33000	0.25	24.24
H25.12.12	0.08	0.33000	0.25	24.24
H25.12.13	0.08	0.33000	0.25	24.24
H25.12.16	0.08	0.33000	0.25	24.24
H25.12.17	0.08	0.33000	0.25	24.24
H25.12.18	0.08	0.33000	0.25	24.24
H25.12.19	0.08	0.33000	0.25	24.24
H25.12.20	0.08	0.33000	0.25	24.24
H25.12.24	0.08	0.33000	0.25	24.24
H25.12.25	0.08	0.33000	0.25	24.24
H25.12.26	0.08	0.33000	0.25	24.24
H25.12.27	0.08	0.33000	0.25	24.24
H25.12.30	0.08	0.33000	0.25	24.24
H26.1.6	0.08	0.33000	0.25	24.24
H26.1.7	0.08	0.33000	0.25	24.24
H26.1.8	0.08	0.33000	0.25	24.24
H26.1.9	0.08	0.33000	0.25	24.24
H26.1.10	0.08	0.33000	0.25	24.24
H26.1.14	0.08	0.33000	0.25	24.24

基準日	JGB	tibor	差異	寄与度
H26.1.15	0.09	0.33000	0.24	27.27
H26.1.16	0.09	0.33000	0.24	27.27
H26.1.17	0.089	0.33000	0.241	26.97
H26.1.20	0.089	0.33000	0.241	26.97
H26.1.21	0.088	0.33000	0.242	26.67
H26.1.22	0.088	0.33000	0.242	26.67
H26.1.23	0.088	0.33000	0.242	26.67
H26.1.24	0.087	0.33000	0.243	26.36
H26.1.27	0.086	0.33000	0.244	26.06
H26.1.28	0.086	0.33000	0.244	26.06
H26.1.29	0.086	0.33000	0.244	26.06
H26.1.30	0.085	0.33000	0.245	25.76
H26.1.31	0.085	0.33000	0.245	25.76
H26.2.3	0.084	0.33000	0.246	25.45
H26.2.4	0.084	0.33000	0.246	25.45
H26.2.5	0.083	0.33000	0.247	25.15
H26.2.6	0.083	0.33000	0.247	25.15
H26.2.7	0.08	0.33000	0.25	24.24
H26.2.10	0.071	0.33000	0.259	21.52
H26.2.12	0.071	0.33000	0.259	21.52
H26.2.13	0.07	0.33000	0.26	21.21
H26.2.14	0.07	0.33000	0.26	21.21
H26.2.17	0.07	0.33000	0.26	21.21
H26.2.18	0.079	0.33000	0.251	23.94
H26.2.19	0.08	0.32364	0.24364	24.72
H26.2.20	0.08	0.32000	0.24	25
H26.2.21	0.08	0.32000	0.24	25
H26.2.24	0.08	0.32000	0.24	25
H26.2.25	0.08	0.32000	0.24	25
H26.2.26	0.08	0.32000	0.24	25
H26.2.27	0.076	0.32000	0.244	23.75
H26.2.28	0.076	0.32000	0.244	23.75
H26.3.3	0.07	0.32000	0.25	21.88
H26.3.4	0.07	0.32000	0.25	21.88
H26.3.5	0.07	0.32000	0.25	21.88
H26.3.6	0.07	0.32000	0.25	21.88
H26.3.7	0.07	0.32000	0.25	21.88
H26.3.10	0.062	0.32000	0.258	19.38
H26.3.11	0.062	0.32000	0.258	19.38
H26.3.12	0.062	0.32000	0.258	19.38
H26.3.13	0.06	0.32000	0.26	18.75
H26.3.14	0.06	0.32000	0.26	18.75
H26.3.17	0.06	0.32000	0.26	18.75
H26.3.18	0.051	0.32000	0.269	15.94
H26.3.19	0.051	0.32000	0.269	15.94
H26.3.20	0.051	0.32000	0.269	15.94
H26.3.24	0.052	0.32000	0.268	16.25
H26.3.25	0.053	0.32000	0.267	16.56
H26.3.26	0.053	0.32000	0.267	16.56
H26.3.27	0.053	0.32000	0.267	16.56
H26.3.28	0.063	0.32000	0.257	19.69
H26.3.31	0.075	0.32000	0.245	23.44
H26.4.1	0.075	0.32000	0.245	23.44
H26.4.2	0.08	0.32000	0.24	25
H26.4.3	0.08	0.32000	0.24	25

基準日	JGB	tibor	差異	寄与度
H26.4.4	0.08	0.32000	0.24	25
H26.4.7	0.08	0.32000	0.24	25
H26.4.8	0.08	0.32000	0.24	25
H26.4.9	0.08	0.32000	0.24	25
H26.4.10	0.08	0.32000	0.24	25
H26.4.11	0.08	0.32000	0.24	25
H26.4.14	0.08	0.32000	0.24	25
H26.4.15	0.08	0.32000	0.24	25
H26.4.16	0.08	0.32000	0.24	25
H26.4.17	0.08	0.32000	0.24	25
H26.4.18	0.08	0.32000	0.24	25
H26.4.21	0.08	0.32000	0.24	25
H26.4.22	0.08	0.32000	0.24	25
H26.4.23	0.08	0.32000	0.24	25
H26.4.24	0.08	0.32000	0.24	25
H26.4.25	0.08	0.32000	0.24	25
H26.4.28	0.08	0.32000	0.24	25
H26.4.30	0.08	0.32000	0.24	25
H26.5.1	0.08	0.32000	0.24	25
H26.5.2	0.08	0.32000	0.24	25
H26.5.7	0.08	0.32000	0.24	25
H26.5.8	0.08	0.32000	0.24	25
H26.5.9	0.08	0.32000	0.24	25
H26.5.12	0.08	0.32000	0.24	25
H26.5.13	0.08	0.32000	0.24	25
H26.5.14	0.08	0.32000	0.24	25
H26.5.15	0.08	0.32000	0.24	25
H26.5.16	0.08	0.32000	0.24	25
H26.5.19	0.08	0.32000	0.24	25
H26.5.20	0.08	0.32000	0.24	25
H26.5.21	0.08	0.32000	0.24	25
H26.5.22	0.08	0.32000	0.24	25
H26.5.23	0.079	0.32000	0.241	24.69
H26.5.26	0.079	0.32000	0.241	24.69
H26.5.27	0.079	0.32000	0.241	24.69
H26.5.28	0.078	0.32000	0.242	24.38
H26.5.29	0.078	0.32000	0.242	24.38
H26.5.30	0.078	0.32000	0.242	24.38
H26.6.2	0.082	0.32000	0.238	25.63
H26.6.3	0.082	0.32000	0.238	25.63
H26.6.4	0.082	0.32000	0.238	25.63
H26.6.5	0.082	0.32000	0.238	25.63
H26.6.6	0.082	0.32000	0.238	25.63
H26.6.9	0.082	0.32000	0.238	25.63
H26.6.10	0.081	0.32000	0.239	25.31
H26.6.11	0.081	0.32000	0.239	25.31
H26.6.12	0.081	0.32000	0.239	25.31
H26.6.13	0.081	0.32000	0.239	25.31
H26.6.16	0.08	0.32000	0.24	25
H26.6.17	0.08	0.32000	0.24	25
H26.6.18	0.08	0.32000	0.24	25
H26.6.19	0.08	0.32000	0.24	25
H26.6.20	0.08	0.32000	0.24	25
H26.6.23	0.08	0.32000	0.24	25
H26.6.24	0.08	0.32000	0.24	25

基準日	JGB	tibor	差異	寄与度
H26.6.25	0.08	0.32000	0.24	25
H26.6.26	0.077	0.32000	0.243	24.06
H26.6.27	0.07	0.32000	0.25	21.88
H26.6.30	0.075	0.32000	0.245	23.44
H26.7.1	0.065	0.32000	0.255	20.31
H26.7.2	0.07	0.32000	0.25	21.88
H26.7.3	0.07	0.32000	0.25	21.88
H26.7.4	0.07	0.32000	0.25	21.88
H26.7.7	0.07	0.32000	0.25	21.88
H26.7.8	0.063	0.32000	0.257	19.69
H26.7.9	0.06	0.32000	0.26	18.75
H26.7.10	0.062	0.32000	0.258	19.38
H26.7.11	0.062	0.32000	0.258	19.38
H26.7.14	0.061	0.32000	0.259	19.06
H26.7.15	0.06	0.32000	0.26	18.75
H26.7.16	0.059	0.32000	0.261	18.44
H26.7.17	0.049	0.32000	0.271	15.31
H26.7.18	0.049	0.32000	0.271	15.31
H26.7.22	0.048	0.32000	0.272	15
H26.7.23	0.048	0.32000	0.272	15
H26.7.24	0.048	0.32000	0.272	15
H26.7.25	0.048	0.32000	0.272	15
H26.7.28	0.048	0.32000	0.272	15
H26.7.29	0.048	0.32000	0.272	15
H26.7.30	0.048	0.32000	0.272	15
H26.7.31	0.048	0.32000	0.272	15
H26.8.1	0.048	0.32000	0.272	15
H26.8.4	0.048	0.32000	0.272	15
H26.8.5	0.048	0.32000	0.272	15
H26.8.6	0.048	0.32000	0.272	15
H26.8.7	0.051	0.32000	0.269	15.94
H26.8.8	0.051	0.32000	0.269	15.94
H26.8.11	0.051	0.32000	0.269	15.94
H26.8.12	0.051	0.32000	0.269	15.94
H26.8.13	0.05	0.32000	0.27	15.63
H26.8.14	0.05	0.32000	0.27	15.63
H26.8.15	0.06	0.32000	0.26	18.75
H26.8.18	0.059	0.32000	0.261	18.44
H26.8.19	0.059	0.32000	0.261	18.44
H26.8.20	0.058	0.32000	0.262	18.13
H26.8.21	0.058	0.32000	0.262	18.13
H26.8.22	0.058	0.32000	0.262	18.13
H26.8.25	0.057	0.32000	0.263	17.81
H26.8.26	0.057	0.32000	0.263	17.81
H26.8.27	0.056	0.32000	0.264	17.5
H26.8.28	0.056	0.32000	0.264	17.5
H26.8.29	0.055	0.32000	0.265	17.19
H26.9.1	0.054	0.32000	0.266	16.88
H26.9.2	0.054	0.32000	0.266	16.88
H26.9.3	0.06	0.32000	0.26	18.75
H26.9.4	0.06	0.32000	0.26	18.75
H26.9.5	0.06	0.32000	0.26	18.75
H26.9.8	0.059	0.32000	0.261	18.44
H26.9.9	0.06	0.32000	0.26	18.75
H26.9.10	0.06	0.32000	0.26	18.75

基準日	JGB	tibor	差異	寄与度
H26.9.11	0.049	0.32000	0.271	15.31
H26.9.12	0.049	0.32000	0.271	15.31
H26.9.16	0.04	0.32000	0.28	12.5
H26.9.17	0.04	0.32000	0.28	12.5
H26.9.18	0.032	0.32000	0.288	10
H26.9.19	0.031	0.32000	0.289	9.69
H26.9.22	0.032	0.32000	0.288	10
H26.9.24	0.033	0.32000	0.287	10.31
H26.9.25	0.032	0.32000	0.288	10
H26.9.26	0.04	0.32000	0.28	12.5
H26.9.29	0.06	0.32000	0.26	18.75
H26.9.30	0.065	0.32000	0.255	20.31
H26.10.1	0.05	0.32000	0.27	15.63
H26.10.2	0.04	0.32000	0.28	12.5
H26.10.3	0.035	0.32000	0.285	10.94
H26.10.6	0.037	0.32000	0.283	11.56
H26.10.7	0.03	0.32000	0.29	9.38
H26.10.8	0.03	0.32000	0.29	9.38
H26.10.9	0.03	0.32000	0.29	9.38
H26.10.10	0.03	0.32000	0.29	9.38
H26.10.14	0.03	0.31818	0.28818	9.43
H26.10.15	0.03	0.31636	0.28636	9.48
H26.10.16	0.03	0.31455	0.28455	9.54
H26.10.17	0.01	0.31364	0.30364	3.19
H26.10.20	0.019	0.31273	0.29373	6.08
H26.10.21	0.018	0.31182	0.29382	5.77
H26.10.22	0.018	0.31182	0.29382	5.77
H26.10.23	0.018	0.31091	0.29291	5.79
H26.10.24	0.01	0.31091	0.30091	3.22
H26.10.27	0.016	0.31091	0.29491	5.15
H26.10.28	0.016	0.31091	0.29491	5.15
H26.10.29	0.015	0.31000	0.295	4.84
H26.10.30	0.015	0.31000	0.295	4.84
H26.10.31	0.025	0.30727	0.28227	8.14
H26.11.4	0.013	0.30364	0.29064	4.28
H26.11.5	0.013	0.30000	0.287	4.33
H26.11.6	0.012	0.29818	0.28618	4.02
H26.11.7	0.012	0.29818	0.28618	4.02
H26.11.10	0.011	0.29818	0.28718	3.69
H26.11.11	0.011	0.29818	0.28718	3.69
H26.11.12	0.021	0.29818	0.27718	7.04
H26.11.13	0.01	0.29818	0.28818	3.35
H26.11.14	0.01	0.29818	0.28818	3.35
H26.11.17	0.009	0.29818	0.28918	3.02
H26.11.18	0.009	0.29818	0.28918	3.02
H26.11.19	0.009	0.29818	0.28918	3.02
H26.11.20	0.009	0.29818	0.28918	3.02
H26.11.21	0.008	0.29727	0.28927	2.69
H26.11.25	0.007	0.29727	0.29027	2.35
H26.11.26	0.01	0.29727	0.28727	3.36
H26.11.27	0.009	0.29727	0.28827	3.03
H26.11.28	0.01	0.29727	0.28727	3.36
H26.12.1	0.01	0.29727	0.28727	3.36
H26.12.2	0.004	0.29727	0.29327	1.35
H26.12.3	0.004	0.29727	0.29327	1.35

基準日	JGB	tibor	差異	寄与度
H26.12.4	0.004	0.29727	0.29327	1.35
H26.12.5	0.003	0.29727	0.29427	1.01
H26.12.8	0.002	0.29727	0.29527	0.67
H26.12.9	0.002	0.29727	0.29527	0.67
H26.12.10	0.002	0.29727	0.29527	0.67
H26.12.11	0.001	0.29727	0.29627	0.34
H26.12.12	0.001	0.29727	0.29627	0.34
H26.12.15	0	0.29727	0.29727	0
H26.12.16	0	0.29727	0.29727	0
H26.12.17	-0.001	0.29727	0.29827	-0.34
H26.12.18	-0.011	0.29727	0.30827	-3.7
H26.12.19	-0.032	0.29727	0.32927	-10.76
H26.12.22	-0.032	0.29727	0.32927	-10.76
H26.12.24	-0.036	0.29727	0.33327	-12.11
H26.12.25	-0.033	0.29727	0.33027	-11.1
H26.12.26	-0.034	0.29727	0.33127	-11.44
H26.12.29	-0.033	0.29636	0.32936	-11.14
H26.12.30	-0.02	0.29636	0.31636	-6.75
H27.1.5	-0.017	0.29636	0.31336	-5.74
H27.1.6	-0.018	0.29636	0.31436	-6.07
H27.1.7	-0.012	0.29636	0.30836	-4.05
H27.1.8	-0.013	0.29636	0.30936	-4.39
H27.1.9	-0.016	0.29636	0.31236	-5.4
H27.1.13	-0.019	0.29636	0.31536	-6.41
H27.1.14	-0.02	0.29636	0.31636	-6.75
H27.1.15	-0.02	0.29636	0.31636	-6.75
H27.1.16	-0.02	0.29636	0.31636	-6.75
H27.1.19	-0.021	0.29636	0.31736	-7.09
H27.1.20	-0.022	0.29273	0.31473	-7.52
H27.1.21	-0.022	0.28909	0.31109	-7.61
H27.1.22	-0.014	0.28636	0.30036	-4.89
H27.1.23	-0.015	0.28636	0.30136	-5.24
H27.1.26	-0.017	0.28636	0.30336	-5.94
H27.1.27	-0.008	0.28636	0.29436	-2.79
H27.1.28	0.006	0.28636	0.28036	2.1
H27.1.29	0.005	0.28545	0.28045	1.75
H27.1.30	0.009	0.28545	0.27645	3.15
H27.2.2	0.01	0.28545	0.27545	3.5
H27.2.3	0.02	0.28455	0.26455	7.03
H27.2.4	0.019	0.28364	0.26464	6.7
H27.2.5	0.019	0.28364	0.26464	6.7
H27.2.6	0.013	0.28364	0.27064	4.58
H27.2.9	0.012	0.28364	0.27164	4.23
H27.2.10	0.011	0.28364	0.27264	3.88
H27.2.12	0.011	0.28364	0.27264	3.88
H27.2.13	0.01	0.28364	0.27364	3.53
H27.2.16	0.01	0.28364	0.27364	3.53
H27.2.17	0.01	0.28364	0.27364	3.53
H27.2.18	0.01	0.28364	0.27364	3.53
H27.2.19	0.01	0.28364	0.27364	3.53
H27.2.20	0.01	0.28364	0.27364	3.53
H27.2.23	0.012	0.28364	0.27164	4.23
H27.2.24	0.01	0.28364	0.27364	3.53
H27.2.25	0.01	0.28364	0.27364	3.53
H27.2.26	0.01	0.28364	0.27364	3.53

基準日	JGB	tibor	差異	寄与度
H27.2.27	0.006	0.28364	0.27764	2.12
H27.3.2	0.01	0.28364	0.27364	3.53
H27.3.3	0.01	0.28364	0.27364	3.53
H27.3.4	0.01	0.28364	0.27364	3.53
H27.3.5	0.01	0.28364	0.27364	3.53
H27.3.6	0.01	0.28364	0.27364	3.53
H27.3.9	0.01	0.28364	0.27364	3.53
H27.3.10	0.01	0.28364	0.27364	3.53
H27.3.11	0.01	0.28364	0.27364	3.53
H27.3.12	0.001	0.28364	0.28264	0.35
H27.3.13	0.001	0.28364	0.28264	0.35
H27.3.16	0	0.28364	0.28364	0
H27.3.17	0.009	0.28364	0.27464	3.17
H27.3.18	0.009	0.28364	0.27464	3.17
H27.3.19	0.009	0.28364	0.27464	3.17
H27.3.20	0.009	0.28364	0.27464	3.17
H27.3.23	0.008	0.28364	0.27564	2.82
H27.3.24	0.017	0.28364	0.26664	5.99
H27.3.25	0.017	0.28364	0.26664	5.99
H27.3.26	0.02	0.28364	0.26364	7.05
H27.3.27	0.019	0.28364	0.26464	6.7
H27.3.30	0.02	0.28364	0.26364	7.05
H27.3.31	0.03	0.28364	0.25364	10.58
H27.4.1	0.025	0.28364	0.25864	8.81
H27.4.2	0.02	0.28364	0.26364	7.05
H27.4.3	0.02	0.28364	0.26364	7.05
H27.4.6	0.02	0.28364	0.26364	7.05
H27.4.7	0.023	0.28364	0.26064	8.11
H27.4.8	0.023	0.28364	0.26064	8.11
H27.4.9	0.012	0.28364	0.27164	4.23
H27.4.10	0.012	0.28364	0.27164	4.23
H27.4.13	0.001	0.28364	0.28264	0.35
H27.4.14	0	0.28364	0.28364	0
H27.4.15	0	0.28364	0.28364	0
H27.4.16	0	0.28364	0.28364	0
H27.4.17	0.009	0.28364	0.27464	3.17
H27.4.20	0.009	0.28364	0.27464	3.17
H27.4.21	0.008	0.28364	0.27564	2.82
H27.4.22	-0.002	0.28364	0.28564	-0.71
H27.4.23	-0.003	0.28364	0.28664	-1.06
H27.4.24	-0.013	0.28364	0.29664	-4.58
H27.4.27	-0.004	0.28364	0.28764	-1.41
H27.4.28	0	0.28364	0.28364	0
H27.4.30	0	0.28364	0.28364	0
H27.5.1	0	0.28364	0.28364	0
H27.5.7	0.01	0.28364	0.27364	3.53
H27.5.8	0.003	0.28364	0.28064	1.06
H27.5.11	0.002	0.28364	0.28164	0.71
H27.5.12	0.001	0.28364	0.28264	0.35
H27.5.13	0.001	0.28364	0.28264	0.35
H27.5.14	0.001	0.28364	0.28264	0.35
H27.5.15	-0.01	0.28364	0.29364	-3.53
H27.5.18	-0.001	0.28364	0.28464	-0.35
H27.5.19	-0.001	0.28364	0.28464	-0.35
H27.5.20	-0.001	0.28364	0.28464	-0.35

基準日	JGB	tibor	差異	寄与度
H27.5.21	-0.002	0.28364	0.28564	-0.71
H27.5.22	-0.002	0.28364	0.28564	-0.71
H27.5.25	-0.003	0.28364	0.28664	-1.06
H27.5.26	-0.003	0.28364	0.28664	-1.06
H27.5.27	-0.004	0.28364	0.28764	-1.41
H27.5.28	-0.004	0.28364	0.28764	-1.41
H27.5.29	0	0.28364	0.28364	0

VAR	0.03197945	0.04476094	0.00769	264.6428604
SKEW	1.82418767	0.88193079	0.591244	1.022804404
AVER	0.18021279	0.52849948	0.348287	28.74661521

0.91253608

出典 JGBについては

